

Small Game Post-Season Harvest Survey, 2014-2015

By

Ronald A. Reitz

August, 2015

ABSTRACT

The 2014-2015 small game harvest mail survey covered 17 species with a usable return of 36.1% from the delivered questionnaires. Findings are given for the eight zoogeographic regions and statewide. Estimates made for each species from the returns include percent of hunting pressure, average days afield, average season bag, average daily bag, and projected total hunters, harvest, and days afield.

Statewide results for the number of hunters and total harvest (in parentheses) as estimated from this survey are:

| | | | | | |
|----------|--------|-----------|-----------|--------|-----------|
| Rabbit | 43,023 | (328,254) | Raccoon | 11,224 | (172,585) |
| Squirrel | 65,238 | (848,910) | Groundhog | 3,522 | (8,195) |
| Quail | 12,335 | (109,904) | Gray Fox | 665 | (792) |
| Dove | 31,409 | (55,164) | Red Fox | 1,209 | (869) |
| Pheasant | 5,370 | (18,432) | Coyote | 22,119 | (65,754) |
| Woodcock | 650 | (1,195) | Bobcat | 3,718 | (2,531) |
| Crow | 6,495 | (70,595) | Opossum | 4,979 | (29,588) |

Duck hunters numbered 37,297 (689,790 harvested); 14,460 hunted Canada geese (97,633 harvested); and 6,684 hunted blue and snow geese, harvesting an estimated 150,070 birds. The estimated total number of hunters statewide was 135,922.

Statewide trend data for all species surveyed during each of the past 44 survey efforts (1967-2014) are given in this report. Of those responding to this year's survey, 62.9% reported that they used their small game permits to hunt. Group training in hunting or firearm safety was reported by 79.5% of respondents.

Beginning with the 1996-97 hunting season, sampling for the Small Game Harvest Mail Survey was conducted using a Point of Sale (POS) database of permit buyers. As a result, several changes were implemented in how the survey sample was drawn and the results analyzed to increase the statistical precision and completeness of the hunting pressure and harvest estimates. Because of the incorporation of non-resident hunters in the survey and the use of newer analytical techniques, comparison of post-1996-97 estimates to pre-1996 data should be made with caution.

METHODS

Names and addresses of all permit buyers eligible to hunt small game during the 2014-2015 hunting season were selected from the Point for Sale (POS) database of all hunting permit sales. This consisted of people who purchased either a combination hunting and fishing permit, resident small game hunting permit, resident Guard and Reserve hunting and fishing permit, non-resident small game hunting permit, resident lifetime hunting permit, resident lifetime conservation partner permit, or daily small game hunting permit in 2014.

A stratified random sample of 9,000 permit holders was drawn from this sampling frame. A description of the 13 strata and their individual sample sizes are given in Table 1. An initial mailing and two follow-up mailings to non-respondents were made with a different letter of transmittal for each mailing.

RESULTS

At the time this survey was closed, a total of 3,070 usable responses were received constituting a 36.1% response rate from the 8,515 questionnaires that were successfully delivered by the U.S. Postal Service.

When asked about group training in hunting or firearm safety, 79.5% of respondents indicated that they had received such training. When asked if the permit holder had purchased a 2013 permit to hunt small game, 79.8% of respondents indicated that they had. About 82.9% of respondents reported having internet access in their home. Private land was the most popular place to hunt small game, with 33.3% of respondents reporting hunting solely on private land, while 29.8% hunted mostly on private land, followed by 16.4% hunting equally on private and public land. Public land was the only hunting location for 6.3% of respondents, while 11.8% hunted mostly on public land. An estimated 0.9% of hunters took a youth quail or pheasant

hunting during the youth-only seasons for those species.

The statewide and zoogeographic summary for 17 species of small game hunted in 2014-2015 is given in Table 2. The data for each species include number of hunters and their percent of all permittees, average daily and season bags, total harvest, and days afield. Totals of the regions may not always equal the state totals given due to rounding error. The estimated statewide hunter success rate for each species is given in Table 3.

In general, those species with the greater number of hunters in the sample have narrower upper and lower limits of variability resulting in small confidence intervals in the projections. For species with fewer hunters, small sample sizes may result in unrealistic estimates, and therefore significant differences in year to year estimates for these species may exist but not be addressed in this report.

SIGNIFICANT DEVIATIONS

During the past 44 survey efforts, data have been obtained by mail surveys for most small game species in one or more years. Caution must be taken when interpreting the information as indicators of trends in number of hunters, harvest, and hunter pressure during the period of 1967 to 2014. There have been several changes in the regulations concerning who is required to purchase a permit to hunt small game. Beginning in 1981, persons 15 years of age or younger were able to take small game without a permit when accompanied by a properly licensed adult hunter or after having completed a hunter education course. This is reflected in a decrease of 8,821 (2.3%) permits sold between 1980 and 1981; and a decrease of 6,827 (1.8%) comparing 1982 to 1980. In 1991, permit fees were increased. In 1996, in addition to a permit fee increase, a new procedure for purchasing hunting permits (POS) was initiated. In addition to these

external factors, new sampling and analysis techniques were adopted beginning with the 1996 survey. A stratified random sampling protocol was used to draw the survey sample from the complete population of small game permit buyers as contained in the POS database. In addition, non-resident hunters were included in the survey for the first time in 1996. The change in sampling protocol allowed for new, more thorough, analytical techniques to be used in generating estimates from the collected responses. Calculations of statewide and regional estimates and their 95% confidence intervals for total number of hunters, percentage of overall hunting pressure, average daily and seasonal bags, and total harvest and days of hunting recreation, were done using bootstrapping techniques. The sum of these external factors should be considered when using the information provided to extrapolate small game population trends. Statewide data from 1967 to 2014 are given in Table 4.

Beginning with the 1996-97 hunting season, sampling for the Small Game Harvest Mail Survey was conducted using a Point of Sale (POS) database of permit buyers. As a result, several changes were implemented in how the survey sample was drawn and the results analyzed to increase the statistical precision and completeness of the hunting pressure and harvest estimates. Non-resident hunters were included in the sampling frame for the first time in 1996. Likewise, a stratified random sampling technique was used to select survey recipients from all permittees eligible to hunt small game beginning in 1996. In 2002, strata geographic boundaries were redefined, resulting in the addition of two strata. In 2005, questionnaires were printed on Optical Character Recognition stock and scanned to collect data instead of being entered by hand. Pheasants reported killed in areas outside of legally defined geographic areas (i.e., Ozark regions) were included in estimates beginning in 2006. To reasonably compare to previous

years, one should exclude estimates from the W. Ozark Border, Ozark Plateau, and N & E Ozark Border regions.

Calculations of statewide and regional estimates and their 95% confidence intervals for total number of hunters, percentage of overall hunting pressure, average daily and seasonal bags, and total harvest and days of hunting recreation, were done using bootstrapping techniques. In addition, the category of “Waterfowl”, which included duck, Canada goose and snow goose information, was dropped from the analysis in 1996. This was done because of difficulties in generating estimates for this aggregate small game category using the new bootstrapping analysis techniques and the ability to easily obtain similar information from other currently available sources.

Because of the incorporation of non-resident hunters in the survey and the use of newer analytical techniques, comparison of post-1996-97 estimates to pre-1996 data should be made with caution. This type of mail survey probably realizes its best use and reliability for small game as an indicator of trends in hunting pressure, hunting success, harvest, and hunting recreation rather than short-term comparisons. Persons wishing to quote from this report, to cite it, or to use it in other forms should first consult with Ron Reitz, Resource Science Division, under whose direction the work was performed.

TABLE 1. Stratification used for the 2014-2015 Small Game Harvest Mail Survey.

| Strata | N – Strata | n | Description |
|--------|---------------|-------|--|
| 1 | 19075 | 400 | Non-resident (Permit types 40 and 42) |
| 2 | 8456 | 400 | Lifetime permit holders (Permit types 85-89, 95-99) |
| 3 | 32204 | 1337 | N Mo. Resident Combination Hunt and Fish (Permit type 05-06) |
| 4 | 26464 | 1099 | SE Mo. Resident Combination Hunt and Fish (Permit type 05-06) |
| 5 | 30645 | 1273 | SW Mo. Resident Combination Hunt and Fish (Permit type 05-06) |
| 6 | 27887 | 1158 | St. Louis Resident Combo Hunt and Fish (Permit type 05-06) |
| 7 | 15530 | 645 | K C Resident Combination Hunt and Fish (Permit type 05-06) |
| 8 | 11679 | 485 | N Mo. Resident Hunting (Permit type 30) |
| 9 | 10291 | 428 | SE Mo. Resident Hunting (Permit type 30) |
| 10 | 11969 | 497 | SW Mo. Resident Hunting (Permit type 30) |
| 11 | 11509 | 478 | St. Louis Resident Hunting (Permit type 30) |
| 12 | 8001 | 400 | Kansas City Resident Hunting (Permit type 30) |
| 13 | 1270 | 400 | Non-resident Address for Resident Hunting (Permit types 05,06 and 30 with out-of-state addresses) (type 30=518) (type 06=0) (type 05=752) = 1270 |
| Total | 214,980 | 9,000 | |

TABLE 2. (BEGINNING ON NEXT PAGE) Regional and statewide estimates and 95% confidence intervals for each species from the Small Game Mail Survey, 2014-2015. Confidence intervals generated using bootstrapping analysis techniques.

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for RABBITS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 2684 | 6.24 | 0.42 | 3.67 | 9.45 | 9847 | 25368 |
| N. Riverbreaks | 2451 | 5.70 | 1.20 | 7.79 | 6.90 | 19096 | 16948 |
| N.E. Riverbreaks | 12572 | 29.23 | 1.45 | 8.06 | 5.56 | 101320 | 69965 |
| W. Prairie | 3899 | 9.06 | 1.45 | 5.19 | 3.59 | 20207 | 13995 |
| W. Ozark Border | 4138 | 9.62 | 1.21 | 4.54 | 3.76 | 18795 | 15573 |
| Ozark Plateau | 6358 | 14.78 | 0.90 | 7.31 | 8.17 | 46508 | 51891 |
| N & E Ozark Border | 5948 | 13.82 | 0.90 | 5.86 | 6.99 | 34871 | 41549 |
| Mississippi Lowland | 3731 | 8.67 | 1.14 | 18.23 | 16.06 | 67937 | 59928 |
| Unknown | 1242 | 2.89 | 1.57 | 7.80 | 4.88 | 9674 | 6052 |
| STATEWIDE | 43023 | 31.65 | 1.09 | 7.63 | 7.00 | 328254 | 301269 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for RABBITS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 1809 | 3523 | 4.36 | 8.11 | 0.22 | 0.74 | 2.43 | 5.15 | 4.96 | 15.03 | 5659 | 14732 | 11127 | 41814 |
| N. Riverbreaks | 1695 | 3261 | 3.94 | 7.61 | 0.67 | 1.99 | 5.40 | 10.80 | 3.99 | 10.77 | 10951 | 28522 | 8156 | 28201 |
| N.E. Riverbreaks | 10903 | 14381 | 25.87 | 32.99 | 1.16 | 1.74 | 5.77 | 11.32 | 4.38 | 7.14 | 71355 | 143388 | 52414 | 91317 |
| W. Prairie | 2923 | 5035 | 6.72 | 11.58 | 1.09 | 1.82 | 3.55 | 7.00 | 2.74 | 4.49 | 12552 | 29004 | 9185 | 19419 |
| W. Ozark Border | 3079 | 5286 | 7.24 | 11.96 | 0.90 | 1.62 | 3.26 | 6.10 | 2.98 | 4.63 | 11962 | 26760 | 10733 | 21167 |
| Ozark Plateau | 5079 | 7733 | 11.88 | 17.69 | 0.59 | 1.30 | 4.79 | 10.30 | 6.41 | 10.18 | 28571 | 69908 | 36721 | 69261 |
| N & E Ozark Border | 4766 | 7290 | 11.20 | 16.64 | 0.52 | 1.48 | 4.30 | 7.49 | 3.74 | 11.46 | 23963 | 48299 | 20553 | 72082 |
| Mississippi Lowland | 2658 | 4888 | 6.26 | 11.25 | 0.61 | 1.78 | 9.33 | 36.03 | 8.70 | 25.34 | 30075 | 135804 | 28507 | 97810 |
| Unknown | 679 | 1838 | 1.59 | 4.27 | 1.21 | 1.85 | 3.78 | 12.55 | 2.91 | 7.12 | 3782 | 17284 | 2763 | 9994 |
| STATEWIDE | 39922 | 46178 | 29.52 | 33.73 | 0.91 | 1.29 | 6.38 | 9.48 | 5.91 | 8.24 | 269063 | 412666 | 252283 | 359236 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for SQUIRRELS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 3614 | 5.54 | 1.22 | 8.20 | 6.87 | 29667 | 24848 |
| N. Riverbreaks | 2364 | 3.62 | 1.49 | 11.16 | 7.91 | 26351 | 18710 |
| N.E. Riverbreaks | 14100 | 21.61 | 1.58 | 13.49 | 8.49 | 190271 | 119751 |
| W. Prairie | 5298 | 8.12 | 1.34 | 7.97 | 6.14 | 42256 | 32530 |
| W. Ozark Border | 7866 | 12.06 | 1.42 | 9.08 | 6.42 | 71384 | 50503 |
| Ozark Plateau | 16133 | 24.73 | 1.61 | 15.65 | 9.74 | 252526 | 157071 |
| N & E Ozark Border | 11387 | 17.46 | 1.65 | 14.47 | 8.85 | 164798 | 100734 |
| Mississippi Lowland | 2593 | 3.97 | 1.42 | 23.30 | 16.99 | 60626 | 44330 |
| Unknown | 1884 | 2.89 | 1.87 | 5.85 | 3.12 | 11031 | 5869 |
| STATEWIDE | 65238 | 48.00 | 1.53 | 13.01 | 8.50 | 848910 | 554346 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for SQUIRRELS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 2729 | 4533 | 4.22 | 6.95 | 0.87 | 1.63 | 6.12 | 10.69 | 4.57 | 9.68 | 18314 | 41632 | 14220 | 36986 |
| N. Riverbreaks | 1600 | 3181 | 2.44 | 4.89 | 0.87 | 2.53 | 7.21 | 15.76 | 4.32 | 12.54 | 14083 | 39887 | 8511 | 31918 |
| N.E. Riverbreaks | 12409 | 15913 | 19.12 | 24.04 | 1.24 | 1.96 | 9.21 | 18.55 | 6.74 | 10.47 | 127928 | 266251 | 90464 | 151684 |
| W. Prairie | 4210 | 6614 | 6.51 | 10.04 | 0.92 | 1.94 | 5.58 | 10.93 | 3.91 | 9.60 | 27020 | 62252 | 19096 | 53597 |
| W. Ozark Border | 6414 | 9342 | 9.93 | 14.25 | 1.16 | 1.72 | 7.15 | 11.14 | 5.32 | 7.63 | 52364 | 92524 | 37312 | 64360 |
| Ozark Plateau | 13954 | 18190 | 21.68 | 27.54 | 1.33 | 1.95 | 12.55 | 19.01 | 8.22 | 11.39 | 192235 | 313558 | 125987 | 189345 |
| N & E Ozark Border | 9683 | 13105 | 15.03 | 20.10 | 1.33 | 2.03 | 11.78 | 17.43 | 7.03 | 10.74 | 126507 | 205771 | 76038 | 127599 |
| Mississippi Lowland | 1690 | 3527 | 2.62 | 5.40 | 0.60 | 2.39 | 8.39 | 53.60 | 4.69 | 33.94 | 17617 | 136167 | 10704 | 91666 |
| Unknown | 1167 | 2697 | 1.80 | 4.12 | 1.34 | 2.34 | 3.60 | 8.17 | 2.40 | 3.89 | 5231 | 17722 | 3325 | 8634 |
| STATEWIDE | 61967 | 68819 | 45.85 | 50.29 | 1.38 | 1.69 | 11.48 | 14.90 | 7.60 | 9.51 | 734246 | 976705 | 486973 | 630394 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for QUAIL
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 1783 | 14.47 | 2.49 | 12.11 | 4.85 | 21498 | 8630 |
| N. Riverbreaks | 1359 | 11.02 | 2.28 | 9.13 | 3.91 | 12312 | 5309 |
| N.E. Riverbreaks | 3058 | 24.80 | 1.35 | 4.26 | 3.15 | 13036 | 9632 |
| W. Prairie | 2195 | 17.76 | 1.53 | 6.43 | 4.14 | 14092 | 9080 |
| W. Ozark Border | 939 | 7.63 | 2.61 | 10.83 | 4.10 | 10172 | 3851 |
| Ozark Plateau | 803 | 6.52 | 5.36 | 30.71 | 5.23 | 26693 | 4312 |
| N & E Ozark Border | 1517 | 12.29 | 1.62 | 6.11 | 3.85 | 9295 | 5813 |
| Mississippi Lowland | 475 | 3.84 | 2.06 | 5.01 | 2.44 | 2258 | 1092 |
| Unknown | 206 | 1.67 | 0.48 | 2.57 | 4.60 | 548 | 972 |
| STATEWIDE | 12335 | 9.07 | 2.25 | 8.91 | 3.95 | 109904 | 48689 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for QUAIL
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 1127 | 2501 | 9.46 | 20.00 | 1.65 | 3.22 | 6.70 | 18.21 | 3.39 | 6.57 | 10091 | 34692 | 4827 | 12902 |
| N. Riverbreaks | 787 | 2053 | 6.62 | 15.94 | 1.21 | 3.75 | 4.01 | 18.34 | 2.76 | 5.29 | 4560 | 26481 | 2710 | 8676 |
| N.E. Riverbreaks | 2190 | 3950 | 18.20 | 31.33 | 0.98 | 1.77 | 2.91 | 5.76 | 2.53 | 3.85 | 7659 | 19451 | 6361 | 13187 |
| W. Prairie | 1341 | 3111 | 11.47 | 24.00 | 0.87 | 2.17 | 2.62 | 11.26 | 2.48 | 6.01 | 4942 | 25130 | 4408 | 14472 |
| W. Ozark Border | 470 | 1442 | 3.93 | 11.67 | 1.51 | 3.49 | 3.48 | 21.85 | 1.84 | 7.58 | 2506 | 21502 | 1242 | 7617 |
| Ozark Plateau | 332 | 1343 | 2.75 | 10.82 | 0.67 | 11.88 | 1.51 | 79.47 | 2.10 | 8.28 | 806 | 87545 | 985 | 8938 |
| N & E Ozark Border | 882 | 2233 | 7.36 | 17.58 | 0.61 | 3.07 | 2.20 | 12.08 | 2.31 | 5.63 | 2651 | 19609 | 2809 | 9658 |
| Mississippi Lowland | 105 | 939 | 0.83 | 7.68 | 0.38 | 3.50 | 0.64 | 10.68 | 1.36 | 4.94 | 228 | 5108 | 276 | 2209 |
| Unknown | 32 | 449 | 0.26 | 3.72 | 0.00 | 1.00 | 0.00 | 8.97 | 1.00 | 13.95 | 0 | 1705 | 32 | 2889 |
| STATEWIDE | 10434 | 14206 | 7.72 | 10.42 | 1.59 | 3.20 | 5.67 | 13.62 | 3.39 | 4.54 | 67236 | 167485 | 38452 | 59617 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for DOVES
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 2221 | 7.07 | 6.19 | 19.96 | 3.24 | 44284 | 7196 |
| N. Riverbreaks | 1357 | 4.32 | 5.11 | 20.28 | 3.99 | 27365 | 5406 |
| N.E. Riverbreaks | 8072 | 25.70 | 4.77 | 17.73 | 3.74 | 143122 | 30165 |
| W. Prairie | 4488 | 14.28 | 4.21 | 12.96 | 3.10 | 58087 | 13914 |
| W. Ozark Border | 3280 | 10.45 | 3.77 | 19.94 | 5.33 | 65292 | 17471 |
| Ozark Plateau | 2174 | 6.92 | 3.59 | 16.22 | 4.72 | 35402 | 10228 |
| N & E Ozark Border | 4276 | 13.62 | 3.43 | 14.13 | 4.20 | 60410 | 17990 |
| Mississippi Lowland | 4792 | 15.25 | 5.51 | 23.20 | 4.32 | 111141 | 20668 |
| Unknown | 750 | 2.39 | 3.86 | 13.40 | 3.51 | 10062 | 2628 |
| STATEWIDE | 31409 | 23.11 | 4.43 | 17.68 | 4.00 | 555164 | 125667 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for DOVES
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 1486 | 3087 | 4.75 | 9.80 | 4.43 | 8.11 | 12.90 | 28.71 | 2.18 | 4.52 | 24596 | 69850 | 4046 | 10962 |
| N. Riverbreaks | 784 | 1990 | 2.51 | 6.30 | 3.26 | 7.37 | 11.40 | 31.64 | 2.79 | 5.43 | 12693 | 47637 | 2821 | 8501 |
| N.E. Riverbreaks | 6643 | 9493 | 21.85 | 29.82 | 3.90 | 5.71 | 14.69 | 20.81 | 3.08 | 4.55 | 107058 | 177971 | 22752 | 37913 |
| W. Prairie | 3402 | 5660 | 11.02 | 17.70 | 3.07 | 5.36 | 9.78 | 16.46 | 2.54 | 3.76 | 39546 | 79063 | 9690 | 18745 |
| W. Ozark Border | 2335 | 4286 | 7.46 | 13.49 | 2.88 | 4.81 | 13.83 | 26.67 | 3.73 | 7.26 | 40602 | 96312 | 10855 | 26223 |
| Ozark Plateau | 1418 | 3031 | 4.50 | 9.49 | 1.71 | 6.44 | 8.42 | 26.62 | 2.82 | 7.26 | 14466 | 63646 | 5240 | 16737 |
| N & E Ozark Border | 3144 | 5451 | 10.19 | 17.12 | 2.31 | 4.76 | 10.93 | 18.01 | 3.14 | 5.71 | 40262 | 85424 | 11524 | 26294 |
| Mississippi Lowland | 3491 | 6170 | 11.32 | 19.24 | 3.83 | 7.33 | 18.27 | 28.74 | 3.00 | 6.20 | 74991 | 152287 | 12541 | 31540 |
| Unknown | 326 | 1211 | 1.04 | 3.87 | 2.15 | 5.53 | 7.21 | 19.43 | 2.44 | 4.65 | 3399 | 18574 | 1072 | 4551 |
| STATEWIDE | 28512 | 34418 | 21.11 | 25.21 | 3.93 | 4.94 | 16.00 | 19.41 | 3.58 | 4.47 | 479286 | 632193 | 108451 | 144838 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for PHEASANTS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 1580 | 29.51 | 0.62 | 2.16 | 3.59 | 3418 | 5660 |
| N. Riverbreaks | 1574 | 29.27 | 1.15 | 3.41 | 2.98 | 5321 | 4665 |
| N.E. Riverbreaks | 1081 | 20.10 | 1.20 | 2.40 | 2.05 | 2570 | 2206 |
| W. Prairie | 49 | 0.91 | 0.00 | 0.00 | 4.01 | 0 | 196 |
| W. Ozark Border | 251 | 4.66 | 2.23 | 5.25 | 2.66 | 1353 | 656 |
| Ozark Plateau | 30 | 0.56 | 0.00 | 0.00 | 2.00 | 0 | 60 |
| N & E Ozark Border | 434 | 8.07 | 2.44 | 8.17 | 3.61 | 3588 | 1557 |
| Mississippi Lowland | 192 | 3.57 | 4.63 | 9.26 | 2.00 | 1876 | 383 |
| Unknown | 180 | 3.35 | 1.48 | 1.95 | 1.22 | 306 | 204 |
| STATEWIDE | 5370 | 3.95 | 1.19 | 3.43 | 2.91 | 18432 | 15588 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for PHEASANTS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 972 | 2249 | 19.08 | 40.76 | 0.37 | 0.96 | 1.36 | 3.03 | 2.31 | 5.05 | 1705 | 5483 | 2809 | 9158 |
| N. Riverbreaks | 893 | 2284 | 18.51 | 40.17 | 0.74 | 1.63 | 2.12 | 4.96 | 2.13 | 3.90 | 2646 | 8532 | 2518 | 7173 |
| N.E. Riverbreaks | 532 | 1711 | 11.08 | 30.14 | 0.64 | 2.03 | 1.43 | 3.61 | 1.39 | 2.82 | 1099 | 4549 | 981 | 3817 |
| W. Prairie | 0 | 207 | 0.00 | 4.05 | . | 0.00 | . | 0.00 | . | 4.01 | 0 | 0 | 0 | 826 |
| W. Ozark Border | 0 | 543 | 0.00 | 9.97 | . | 4.00 | . | 8.02 | . | 5.01 | 0 | 3357 | 0 | 1632 |
| Ozark Plateau | 0 | 96 | 0.00 | 1.92 | . | 0.00 | . | 0.00 | . | 2.00 | 0 | 0 | 0 | 192 |
| N & E Ozark Border | 89 | 854 | 1.83 | 15.58 | 0.84 | 4.30 | 1.00 | 13.17 | 1.40 | 7.05 | 146 | 7818 | 182 | 3562 |
| Mississippi Lowland | 0 | 485 | 0.00 | 8.46 | . | 9.99 | . | 19.98 | . | 2.00 | 0 | 5646 | 0 | 971 |
| Unknown | 8 | 395 | 0.19 | 7.44 | 0.00 | 2.50 | 0.00 | 4.67 | 1.00 | 2.00 | 0 | 721 | 32 | 440 |
| STATEWIDE | 4166 | 6657 | 3.07 | 4.93 | 0.86 | 1.59 | 2.54 | 4.40 | 2.39 | 3.52 | 12311 | 25814 | 11310 | 20237 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for WOODCOCK
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 0 | 0.00 | . | . | . | 0 | 0 |
| N. Riverbreaks | 0 | 0.00 | . | . | . | 0 | 0 |
| N.E. Riverbreaks | 185 | 28.97 | 1.00 | 2.75 | 2.75 | 518 | 518 |
| W. Prairie | 201 | 30.23 | 0.49 | 0.78 | 2.08 | 152 | 435 |
| W. Ozark Border | 74 | 11.26 | 2.01 | 4.01 | 2.00 | 296 | 148 |
| Ozark Plateau | 0 | 0.00 | . | . | . | 0 | 0 |
| N & E Ozark Border | 98 | 15.22 | 0.84 | 2.00 | 2.45 | 197 | 230 |
| Mississippi Lowland | 91 | 14.31 | 0.26 | 0.44 | 1.44 | 33 | 124 |
| Unknown | 0 | 0.00 | . | . | . | 0 | 0 |
| STATEWIDE | 650 | 0.48 | 0.83 | 1.85 | 2.24 | 1195 | 1454 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for WOODCOCK
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 0 | 0 | 0.00 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| N. Riverbreaks | 0 | 0 | 0.00 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| N.E. Riverbreaks | 0 | 421 | 0.00 | 61.65 | . | 1.00 | . | 5.99 | . | 5.99 | 0 | 1396 | 0 | 1396 |
| W. Prairie | 0 | 479 | 0.00 | 62.62 | . | 1.00 | . | 1.00 | . | 4.01 | 0 | 400 | 0 | 1234 |
| W. Ozark Border | 0 | 220 | 0.00 | 36.66 | . | 2.01 | . | 4.01 | . | 2.01 | 0 | 878 | 0 | 439 |
| Ozark Plateau | 0 | 0 | 0.00 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| N & E Ozark Border | 0 | 267 | 0.00 | 39.75 | . | 1.00 | . | 2.00 | . | 3.00 | 0 | 535 | 0 | 599 |
| Mississippi Lowland | 0 | 267 | 0.00 | 38.72 | . | 0.50 | . | 1.00 | . | 2.00 | 0 | 96 | 0 | 334 |
| Unknown | 0 | 0 | 0.00 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| STATEWIDE | 281 | 1092 | 0.21 | 0.80 | 0.35 | 1.24 | 0.78 | 3.15 | 1.38 | 3.36 | 325 | 2334 | 507 | 2657 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for CROWS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 203 | 3.13 | 1.05 | 6.12 | 24.71 | 1257 | 4910 |
| N. Riverbreaks | 587 | 9.02 | 3.28 | 13.48 | 4.66 | 8060 | 2734 |
| N.E. Riverbreaks | 1315 | 20.26 | 1.48 | 5.04 | 3.58 | 6645 | 4698 |
| W. Prairie | 634 | 9.73 | 2.49 | 21.95 | 9.19 | 13932 | 5899 |
| W. Ozark Border | 932 | 14.35 | 1.61 | 5.65 | 3.92 | 5286 | 3639 |
| Ozark Plateau | 1760 | 27.13 | 5.32 | 17.58 | 3.42 | 31281 | 6010 |
| N & E Ozark Border | 792 | 12.19 | 1.42 | 4.26 | 3.20 | 3380 | 2566 |
| Mississippi Lowland | 0 | 0.00 | . | . | . | 0 | 0 |
| Unknown | 273 | 4.19 | 1.68 | 2.68 | 1.68 | 755 | 482 |
| STATEWIDE | 6495 | 4.78 | 2.34 | 10.85 | 4.76 | 70595 | 30937 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for CROWS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 0 | 470 | 0.00 | 7.07 | . | 4.01 | . | 12.05 | . | 69.73 | 0 | 3537 | 0 | 14585 |
| N. Riverbreaks | 224 | 1046 | 3.40 | 16.08 | 0.62 | 9.24 | 3.44 | 27.03 | 1.77 | 7.77 | 1085 | 19468 | 560 | 5375 |
| N.E. Riverbreaks | 759 | 1939 | 12.20 | 28.46 | 0.58 | 2.65 | 2.29 | 8.50 | 2.13 | 5.61 | 2295 | 12220 | 2078 | 8070 |
| W. Prairie | 216 | 1140 | 3.57 | 16.90 | 0.06 | 7.71 | 0.83 | 67.25 | 2.84 | 16.89 | 349 | 40049 | 728 | 12299 |
| W. Ozark Border | 420 | 1495 | 6.88 | 22.46 | 0.53 | 3.50 | 2.52 | 9.26 | 1.69 | 6.47 | 1393 | 10082 | 1073 | 6687 |
| Ozark Plateau | 1090 | 2486 | 18.04 | 36.88 | 1.11 | 14.16 | 3.57 | 43.67 | 2.38 | 4.55 | 5081 | 78714 | 3059 | 9078 |
| N & E Ozark Border | 333 | 1357 | 5.55 | 19.83 | 0.70 | 2.62 | 1.80 | 7.26 | 1.53 | 5.66 | 928 | 6792 | 735 | 5480 |
| Mississippi Lowland | 0 | 0 | 0.00 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| Unknown | 0 | 596 | 0.00 | 9.02 | . | 2.01 | . | 4.00 | . | 3.00 | 0 | 1812 | 0 | 1264 |
| STATEWIDE | 5181 | 7964 | 3.79 | 5.87 | 1.02 | 4.35 | 5.15 | 19.27 | 3.34 | 6.57 | 31067 | 129569 | 19595 | 44500 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for DUCKS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 5109 | 13.70 | 1.79 | 13.98 | 7.85 | 71220 | 40002 |
| N. Riverbreaks | 2995 | 8.03 | 2.28 | 21.94 | 9.58 | 65700 | 28666 |
| N.E. Riverbreaks | 8002 | 21.46 | 1.68 | 20.49 | 12.18 | 163968 | 97448 |
| W. Prairie | 7215 | 19.35 | 1.81 | 17.96 | 9.94 | 129535 | 71646 |
| W. Ozark Border | 1635 | 4.38 | 1.42 | 14.36 | 10.33 | 23408 | 16884 |
| Ozark Plateau | 1373 | 3.68 | 1.72 | 16.17 | 9.77 | 22038 | 13325 |
| N & E Ozark Border | 1284 | 3.44 | 1.34 | 12.06 | 9.28 | 15478 | 11933 |
| Mississippi Lowland | 7190 | 19.27 | 2.20 | 22.87 | 10.40 | 164498 | 74755 |
| Unknown | 2494 | 6.69 | 1.81 | 13.66 | 7.72 | 33945 | 19125 |
| STATEWIDE | 37297 | 27.44 | 1.85 | 18.49 | 10.02 | 689790 | 373783 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for DUCKS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 3860 | 6493 | 10.66 | 17.26 | 1.41 | 2.20 | 10.14 | 18.18 | 6.23 | 9.98 | 47844 | 97811 | 27800 | 53946 |
| N. Riverbreaks | 2023 | 4095 | 5.51 | 11.08 | 1.64 | 2.92 | 12.51 | 33.31 | 6.41 | 13.24 | 33605 | 106625 | 16300 | 43330 |
| N.E. Riverbreaks | 6622 | 9318 | 18.09 | 24.98 | 1.41 | 2.00 | 15.51 | 26.13 | 10.03 | 14.34 | 114953 | 218373 | 74011 | 123299 |
| W. Prairie | 5746 | 8811 | 15.54 | 23.36 | 1.51 | 2.11 | 13.81 | 22.71 | 8.10 | 12.19 | 91103 | 172221 | 52299 | 90542 |
| W. Ozark Border | 964 | 2350 | 2.57 | 6.26 | 0.99 | 2.01 | 8.94 | 21.28 | 6.16 | 15.73 | 10643 | 37657 | 7360 | 28626 |
| Ozark Plateau | 708 | 2183 | 1.92 | 5.74 | 0.98 | 2.66 | 9.05 | 26.51 | 5.20 | 15.62 | 8475 | 38400 | 5002 | 23725 |
| N & E Ozark Border | 666 | 1991 | 1.76 | 5.19 | 0.88 | 1.95 | 5.79 | 19.83 | 4.09 | 15.58 | 5731 | 28854 | 3886 | 22483 |
| Mississippi Lowland | 5557 | 8845 | 15.17 | 23.24 | 1.53 | 2.88 | 14.83 | 32.79 | 7.66 | 13.71 | 101092 | 251910 | 49872 | 104991 |
| Unknown | 1479 | 3548 | 4.04 | 9.42 | 1.29 | 2.49 | 10.17 | 17.95 | 5.05 | 10.90 | 19342 | 50507 | 10664 | 29465 |
| STATEWIDE | 34372 | 40385 | 25.45 | 29.45 | 1.66 | 2.04 | 16.09 | 21.34 | 9.02 | 11.00 | 586810 | 816617 | 327960 | 421329 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for CANADA GEESE
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 2506 | 17.34 | 0.71 | 5.62 | 8.17 | 14032 | 20469 |
| N. Riverbreaks | 668 | 4.61 | 1.16 | 3.69 | 3.18 | 2499 | 2122 |
| N.E. Riverbreaks | 3863 | 26.73 | 0.99 | 9.20 | 9.22 | 35503 | 35575 |
| W. Prairie | 3644 | 25.21 | 0.92 | 7.99 | 8.59 | 29150 | 31325 |
| W. Ozark Border | 940 | 6.49 | 1.02 | 5.51 | 5.43 | 5180 | 5155 |
| Ozark Plateau | 569 | 3.93 | 0.59 | 3.20 | 5.49 | 1829 | 3183 |
| N & E Ozark Border | 659 | 4.55 | 0.29 | 2.32 | 8.97 | 1555 | 6084 |
| Mississippi Lowland | 899 | 6.21 | 0.13 | 1.26 | 15.90 | 1094 | 14306 |
| Unknown | 712 | 4.92 | 1.65 | 9.46 | 7.00 | 6791 | 4835 |
| STATEWIDE | 14460 | 10.64 | 0.80 | 6.75 | 8.51 | 97633 | 123053 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for CANADA GEESE
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 1709 | 3438 | 12.07 | 23.43 | 0.38 | 1.14 | 3.10 | 8.55 | 5.01 | 12.42 | 6630 | 22275 | 10500 | 34234 |
| N. Riverbreaks | 221 | 1155 | 1.54 | 7.93 | 0.55 | 1.75 | 1.76 | 5.51 | 3.00 | 3.53 | 543 | 4899 | 671 | 3720 |
| N.E. Riverbreaks | 2823 | 4858 | 20.77 | 32.69 | 0.73 | 1.29 | 5.78 | 13.35 | 7.11 | 11.77 | 19934 | 53415 | 23821 | 49078 |
| W. Prairie | 2563 | 4718 | 18.69 | 32.18 | 0.59 | 1.20 | 4.02 | 12.90 | 6.23 | 11.25 | 13030 | 48739 | 19150 | 45110 |
| W. Ozark Border | 445 | 1521 | 3.13 | 10.50 | 0.46 | 1.70 | 2.09 | 9.43 | 3.26 | 7.54 | 1376 | 10382 | 1742 | 9288 |
| Ozark Plateau | 162 | 1043 | 1.17 | 7.05 | 0.36 | 0.89 | 1.27 | 5.21 | 2.39 | 8.21 | 332 | 3661 | 619 | 6678 |
| N & E Ozark Border | 243 | 1169 | 1.72 | 7.79 | 0.16 | 0.70 | 0.73 | 4.06 | 2.22 | 17.82 | 235 | 3407 | 708 | 14027 |
| Mississippi Lowland | 339 | 1516 | 2.38 | 10.25 | 0.02 | 0.59 | 0.49 | 2.33 | 3.11 | 32.74 | 324 | 2187 | 1718 | 32201 |
| Unknown | 231 | 1276 | 1.72 | 8.94 | 0.51 | 4.20 | 4.32 | 15.27 | 2.49 | 15.49 | 1533 | 14281 | 1061 | 10667 |
| STATEWIDE | 12437 | 16469 | 9.13 | 12.17 | 0.61 | 0.99 | 5.22 | 8.52 | 6.99 | 10.18 | 71350 | 125686 | 95653 | 150968 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for SNOW GEESE
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 1174 | 17.55 | 2.95 | 18.53 | 6.44 | 21735 | 7466 |
| N. Riverbreaks | 574 | 8.60 | 6.52 | 23.27 | 3.90 | 14153 | 2197 |
| N.E. Riverbreaks | 997 | 14.98 | 0.95 | 4.13 | 4.49 | 4149 | 4453 |
| W. Prairie | 1347 | 20.14 | 1.93 | 13.92 | 7.86 | 18478 | 10748 |
| W. Ozark Border | 0 | 0.00 | . | . | . | 0 | 0 |
| Ozark Plateau | 435 | 6.50 | 3.50 | 28.69 | 11.43 | 12155 | 4694 |
| N & E Ozark Border | 81 | 1.21 | 0.00 | 0.00 | 4.00 | 0 | 323 |
| Mississippi Lowland | 1889 | 28.21 | 2.73 | 37.43 | 15.04 | 70466 | 28305 |
| Unknown | 187 | 2.80 | 7.00 | 34.93 | 4.06 | 8934 | 948 |
| STATEWIDE | 6684 | 4.92 | 2.60 | 22.43 | 8.85 | 150070 | 59134 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for SNOW GEESE
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 550 | 1876 | 9.14 | 26.71 | 1.69 | 4.61 | 8.34 | 29.69 | 3.21 | 10.89 | 7035 | 43151 | 2667 | 13783 |
| N. Riverbreaks | 158 | 1033 | 2.65 | 15.70 | 1.17 | 15.28 | 2.69 | 45.73 | 1.86 | 7.59 | 673 | 36238 | 427 | 4559 |
| N.E. Riverbreaks | 539 | 1542 | 8.23 | 22.87 | 0.48 | 1.59 | 1.90 | 6.41 | 2.65 | 6.63 | 1395 | 7548 | 1843 | 7631 |
| W. Prairie | 703 | 2069 | 11.55 | 29.37 | 0.41 | 5.50 | 3.60 | 33.50 | 3.87 | 12.27 | 3976 | 43458 | 3273 | 20299 |
| W. Ozark Border | 0 | 0 | 0.00 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| Ozark Plateau | 81 | 889 | 1.42 | 12.86 | 0.26 | 8.62 | 4.99 | 72.85 | 1.95 | 26.70 | 754 | 30454 | 477 | 11752 |
| N & E Ozark Border | 0 | 243 | 0.00 | 4.13 | . | 0.00 | . | 0.00 | . | 4.00 | 0 | 0 | 0 | 971 |
| Mississippi Lowland | 1064 | 2831 | 17.69 | 39.29 | 0.62 | 6.88 | 8.32 | 73.38 | 7.56 | 24.27 | 14550 | 149779 | 10574 | 50854 |
| Unknown | 0 | 509 | 0.00 | 7.69 | . | 10.00 | . | 59.98 | . | 6.00 | 0 | 26594 | 0 | 2757 |
| STATEWIDE | 5234 | 8197 | 3.87 | 6.05 | 1.46 | 4.17 | 13.36 | 34.46 | 6.36 | 11.95 | 79854 | 238976 | 38333 | 82988 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for RACCOONS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 811 | 7.23 | 0.59 | 11.16 | 21.27 | 9016 | 17294 |
| N. Riverbreaks | 1010 | 9.00 | 0.95 | 12.23 | 12.55 | 12094 | 12568 |
| N.E. Riverbreaks | 3500 | 31.19 | 1.27 | 21.36 | 16.99 | 74591 | 59407 |
| W. Prairie | 1252 | 11.16 | 1.18 | 17.32 | 14.57 | 21638 | 18150 |
| W. Ozark Border | 1268 | 11.30 | 0.69 | 11.19 | 17.34 | 14190 | 21908 |
| Ozark Plateau | 1546 | 13.77 | 0.64 | 9.61 | 14.88 | 14842 | 23087 |
| N & E Ozark Border | 1548 | 13.78 | 1.03 | 16.23 | 16.13 | 25219 | 25063 |
| Mississippi Lowland | 217 | 1.93 | 1.00 | 6.01 | 6.01 | 925 | 925 |
| Unknown | 72 | 0.64 | 1.00 | 1.00 | 1.00 | 72 | 72 |
| STATEWIDE | 11224 | 8.26 | 0.97 | 15.39 | 15.91 | 172585 | 178475 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for RACCOONS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 359 | 1299 | 3.36 | 11.65 | 0.23 | 1.17 | 4.01 | 19.98 | 6.18 | 39.55 | 2285 | 17423 | 3739 | 36706 |
| N. Riverbreaks | 539 | 1563 | 4.84 | 13.96 | 0.32 | 1.93 | 2.94 | 28.30 | 7.23 | 18.99 | 2440 | 28812 | 5404 | 21374 |
| N.E. Riverbreaks | 2622 | 4455 | 24.27 | 38.34 | 0.84 | 1.82 | 12.47 | 33.22 | 11.28 | 24.16 | 39749 | 120278 | 35993 | 87951 |
| W. Prairie | 688 | 1904 | 6.49 | 17.06 | 0.55 | 1.83 | 5.55 | 35.95 | 6.52 | 24.59 | 5603 | 47321 | 6447 | 34762 |
| W. Ozark Border | 713 | 1890 | 6.36 | 16.12 | 0.31 | 1.15 | 4.92 | 18.54 | 6.76 | 32.36 | 5037 | 26169 | 6888 | 41638 |
| Ozark Plateau | 920 | 2243 | 8.50 | 20.44 | 0.40 | 0.94 | 4.23 | 16.41 | 8.65 | 21.47 | 5357 | 27326 | 10401 | 39341 |
| N & E Ozark Border | 905 | 2264 | 8.42 | 19.56 | 0.62 | 1.79 | 8.11 | 27.02 | 8.89 | 24.52 | 9876 | 46336 | 10335 | 45501 |
| Mississippi Lowland | 0 | 545 | 0.00 | 4.69 | . | 1.00 | . | 23.03 | . | 23.03 | 0 | 2912 | 0 | 2912 |
| Unknown | 0 | 220 | 0.00 | 2.09 | . | 1.00 | . | 1.00 | . | 1.00 | 0 | 220 | 0 | 220 |
| STATEWIDE | 9580 | 12840 | 7.02 | 9.46 | 0.76 | 1.22 | 11.49 | 19.86 | 12.69 | 19.35 | 125053 | 228975 | 135293 | 223368 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for GROUND HOGS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 141 | 4.04 | 0.72 | 2.59 | 3.92 | 321 | 527 |
| N. Riverbreaks | 138 | 3.90 | 1.00 | 1.00 | 1.00 | 138 | 138 |
| N.E. Riverbreaks | 599 | 17.04 | 0.33 | 2.44 | 9.65 | 1449 | 5747 |
| W. Prairie | 460 | 12.99 | 0.97 | 2.09 | 2.20 | 945 | 1006 |
| W. Ozark Border | 285 | 8.09 | 0.59 | 1.25 | 3.28 | 354 | 902 |
| Ozark Plateau | 798 | 22.72 | 0.76 | 1.54 | 2.08 | 1224 | 1646 |
| N & E Ozark Border | 927 | 26.33 | 0.41 | 3.12 | 7.91 | 2893 | 7408 |
| Mississippi Lowland | 110 | 3.08 | 1.00 | 1.00 | 1.00 | 110 | 110 |
| Unknown | 64 | 1.81 | 1.00 | 11.97 | 11.97 | 763 | 763 |
| STATEWIDE | 3522 | 2.59 | 0.47 | 2.33 | 5.19 | 8195 | 18246 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for GROUND HOGS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 0 | 353 | 0.00 | 10.52 | . | 1.00 | . | 6.25 | . | 6.25 | 0 | 863 | 0 | 1676 |
| N. Riverbreaks | 0 | 339 | 0.00 | 9.89 | . | 1.00 | . | 1.00 | . | 1.00 | 0 | 339 | 0 | 339 |
| N.E. Riverbreaks | 228 | 1017 | 7.20 | 28.78 | 0.16 | 0.76 | 0.80 | 4.62 | 1.73 | 24.89 | 279 | 3036 | 646 | 15142 |
| W. Prairie | 103 | 903 | 3.01 | 23.83 | 0.21 | 1.41 | 0.51 | 4.18 | 1.00 | 3.87 | 73 | 2114 | 146 | 2142 |
| W. Ozark Border | 0 | 663 | 0.00 | 18.10 | . | 1.00 | . | 2.00 | . | 10.03 | 0 | 809 | 0 | 2506 |
| Ozark Plateau | 334 | 1285 | 10.35 | 35.76 | 0.53 | 1.03 | 1.17 | 1.97 | 1.53 | 2.79 | 512 | 1994 | 688 | 2729 |
| N & E Ozark Border | 417 | 1527 | 13.32 | 39.93 | 0.26 | 0.68 | 1.73 | 5.01 | 3.74 | 13.25 | 1029 | 5499 | 2214 | 13954 |
| Mississippi Lowland | 0 | 343 | 0.00 | 10.36 | . | 1.00 | . | 1.00 | . | 1.00 | 0 | 343 | 0 | 343 |
| Unknown | 0 | 203 | 0.00 | 6.32 | . | 1.00 | . | 12.01 | . | 12.01 | 0 | 2439 | 0 | 2439 |
| STATEWIDE | 2545 | 4635 | 1.88 | 3.39 | 0.32 | 0.68 | 1.66 | 3.20 | 2.93 | 8.20 | 5150 | 11997 | 9443 | 30983 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for GRAY FOXES
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 0 | 0.00 | . | . | . | 0 | 0 |
| N. Riverbreaks | 68 | 10.28 | 0.00 | 0.00 | 29.91 | 0 | 2033 |
| N.E. Riverbreaks | 157 | 23.45 | 0.00 | 0.00 | 6.21 | 0 | 942 |
| W. Prairie | 49 | 7.06 | 0.00 | 0.00 | 4.01 | 0 | 196 |
| W. Ozark Border | 0 | 0.00 | . | . | . | 0 | 0 |
| Ozark Plateau | 201 | 30.55 | 0.38 | 3.20 | 13.47 | 607 | 2761 |
| N & E Ozark Border | 60 | 8.42 | 0.29 | 2.00 | 7.01 | 120 | 420 |
| Mississippi Lowland | 32 | 5.11 | 0.09 | 2.00 | 23.03 | 64 | 740 |
| Unknown | 98 | 15.12 | 0.00 | 0.00 | 7.55 | 0 | 750 |
| STATEWIDE | 665 | 0.49 | 0.11 | 1.19 | 11.88 | 792 | 7843 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for GRAY FOXES
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 0 | 0 | 0.0 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| N. Riverbreaks | 0 | 203 | 0.0 | 35.14 | . | 0.00 | . | 0.00 | . | 30.04 | 0 | 0 | 0 | 6098 |
| N.E. Riverbreaks | 0 | 400 | 0.0 | 58.95 | . | 0.00 | . | 0.00 | . | 10.00 | 0 | 0 | 0 | 2636 |
| W. Prairie | 0 | 207 | 0.0 | 30.34 | . | 0.00 | . | 0.00 | . | 4.01 | 0 | 0 | 0 | 826 |
| W. Ozark Border | 0 | 0 | 0.0 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| Ozark Plateau | 0 | 477 | 0.0 | 67.56 | . | 1.80 | . | 8.97 | . | 25.07 | 0 | 1844 | 0 | 7320 |
| N & E Ozark Border | 0 | 228 | 0.0 | 37.81 | . | 0.29 | . | 2.00 | . | 7.01 | 0 | 457 | 0 | 1599 |
| Mississippi Lowland | 0 | 112 | 0.0 | 18.40 | . | 0.09 | . | 2.00 | . | 23.03 | 0 | 224 | 0 | 2579 |
| Unknown | 0 | 267 | 0.0 | 41.66 | . | 0.00 | . | 0.00 | . | 8.03 | 0 | 0 | 0 | 2136 |
| STATEWIDE | 268 | 1094 | 0.2 | 0.81 | 0 | 0.34 | 0 | 3.32 | 6.76 | 18.97 | 0 | 2154 | 2482 | 14764 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for RED FOXES
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 64 | 5.45 | 0.00 | 0.00 | 5.00 | 0 | 321 |
| N. Riverbreaks | 68 | 5.67 | 0.00 | 0.00 | 29.91 | 0 | 2033 |
| N.E. Riverbreaks | 740 | 61.25 | 0.14 | 0.84 | 5.92 | 619 | 4357 |
| W. Prairie | 49 | 3.95 | 0.00 | 0.00 | 4.01 | 0 | 196 |
| W. Ozark Border | 0 | 0.00 | . | . | . | 0 | 0 |
| Ozark Plateau | 130 | 10.67 | 0.10 | 1.00 | 15.24 | 130 | 2045 |
| N & E Ozark Border | 60 | 4.78 | 0.29 | 2.00 | 7.01 | 120 | 420 |
| Mississippi Lowland | 0 | 0.00 | . | . | . | 0 | 0 |
| Unknown | 98 | 8.23 | 0.00 | 0.00 | 7.55 | 0 | 750 |
| STATEWIDE | 1209 | 0.89 | 0.09 | 0.71 | 8.38 | 869 | 10122 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for RED FOXES
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 0 | 200 | 0.00 | 19.81 | . | 0.00 | . | 0.00 | . | 5.02 | 0 | 0 | 0 | 1001 |
| N. Riverbreaks | 0 | 203 | 0.00 | 18.97 | . | 0.00 | . | 0.00 | . | 30.04 | 0 | 0 | 0 | 6098 |
| N.E. Riverbreaks | 321 | 1211 | 36.67 | 84.96 | 0.06 | 0.25 | 0.32 | 1.50 | 3.94 | 8.28 | 136 | 1156 | 1731 | 7545 |
| W. Prairie | 0 | 207 | 0.00 | 16.98 | . | 0.00 | . | 0.00 | . | 4.01 | 0 | 0 | 0 | 826 |
| W. Ozark Border | 0 | 0 | 0.00 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| Ozark Plateau | 0 | 352 | 0.00 | 26.88 | . | 0.20 | . | 1.00 | . | 25.07 | 0 | 352 | 0 | 6225 |
| N & E Ozark Border | 0 | 228 | 0.00 | 20.90 | . | 0.29 | . | 2.00 | . | 7.01 | 0 | 457 | 0 | 1599 |
| Mississippi Lowland | 0 | 0 | 0.00 | 0.00 | . | . | . | . | . | . | 0 | 0 | 0 | 0 |
| Unknown | 0 | 267 | 0.00 | 24.22 | . | 0.00 | . | 0.00 | . | 8.03 | 0 | 0 | 0 | 2136 |
| STATEWIDE | 666 | 1828 | 0.49 | 1.35 | 0.04 | 0.16 | 0.31 | 1.15 | 5.20 | 12.59 | 276 | 1540 | 4532 | 17149 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for COYOTES
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 2667 | 12.07 | 0.40 | 4.77 | 11.76 | 12730 | 31404 |
| N. Riverbreaks | 1354 | 6.12 | 0.37 | 4.30 | 12.38 | 5765 | 16678 |
| N.E. Riverbreaks | 5487 | 24.80 | 0.29 | 2.69 | 9.52 | 14799 | 52250 |
| W. Prairie | 3478 | 15.72 | 0.34 | 2.27 | 6.88 | 7904 | 23899 |
| W. Ozark Border | 2207 | 9.98 | 0.36 | 2.65 | 7.67 | 5817 | 16960 |
| Ozark Plateau | 3242 | 14.66 | 0.26 | 2.60 | 10.19 | 8467 | 33068 |
| N & E Ozark Border | 2165 | 9.79 | 0.14 | 1.53 | 12.29 | 3317 | 26719 |
| Mississippi Lowland | 844 | 3.81 | 0.41 | 4.95 | 12.48 | 4157 | 10434 |
| Unknown | 675 | 3.05 | 1.66 | 4.22 | 2.83 | 2797 | 1854 |
| STATEWIDE | 22119 | 16.27 | 0.31 | 2.97 | 9.64 | 65754 | 213266 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for COYOTES
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 1894 | 3489 | 8.67 | 15.63 | 0.25 | 0.58 | 2.20 | 8.68 | 6.72 | 17.50 | 5172 | 23548 | 15626 | 51219 |
| N. Riverbreaks | 770 | 2026 | 3.54 | 9.16 | 0.15 | 0.79 | 1.60 | 7.78 | 4.76 | 22.77 | 1887 | 10637 | 5464 | 32364 |
| N.E. Riverbreaks | 4350 | 6687 | 20.17 | 29.61 | 0.17 | 0.44 | 1.73 | 3.77 | 6.27 | 13.83 | 8634 | 21932 | 31794 | 78549 |
| W. Prairie | 2513 | 4469 | 11.67 | 20.02 | 0.22 | 0.50 | 1.58 | 3.18 | 4.60 | 9.95 | 4728 | 11855 | 13663 | 36008 |
| W. Ozark Border | 1472 | 3065 | 6.80 | 13.56 | 0.15 | 0.68 | 1.15 | 4.59 | 4.83 | 10.78 | 2156 | 10368 | 8780 | 26254 |
| Ozark Plateau | 2395 | 4257 | 10.95 | 18.89 | 0.14 | 0.47 | 1.41 | 4.43 | 6.85 | 14.21 | 3899 | 15077 | 19552 | 49642 |
| N & E Ozark Border | 1387 | 3033 | 6.48 | 13.58 | 0.06 | 0.28 | 0.80 | 2.57 | 5.18 | 21.81 | 1379 | 6183 | 9716 | 51461 |
| Mississippi Lowland | 357 | 1459 | 1.71 | 6.36 | 0.18 | 0.69 | 2.39 | 8.67 | 7.06 | 18.43 | 1257 | 8173 | 3642 | 18824 |
| Unknown | 230 | 1225 | 1.06 | 5.47 | 0.09 | 5.39 | 0.37 | 12.73 | 1.50 | 4.86 | 132 | 8065 | 572 | 3601 |
| STATEWIDE | 19863 | 24386 | 14.63 | 17.97 | 0.24 | 0.39 | 2.35 | 3.69 | 8.04 | 11.47 | 50078 | 82328 | 170244 | 259480 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for OPOSSUMS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 364 | 7.31 | 0.33 | 12.11 | 41.29 | 4404 | 15292 |
| N. Riverbreaks | 474 | 9.54 | 0.88 | 5.11 | 5.81 | 2398 | 2760 |
| N.E. Riverbreaks | 1100 | 22.14 | 0.57 | 5.45 | 10.15 | 5982 | 11199 |
| W. Prairie | 346 | 6.97 | 0.82 | 2.13 | 3.46 | 736 | 1203 |
| W. Ozark Border | 711 | 14.30 | 0.93 | 3.38 | 3.90 | 2404 | 2777 |
| Ozark Plateau | 842 | 16.86 | 0.56 | 4.04 | 8.36 | 3368 | 6995 |
| N & E Ozark Border | 1005 | 20.11 | 0.64 | 9.70 | 16.18 | 9806 | 16328 |
| Mississippi Lowland | 32 | 0.65 | 0.48 | 11.01 | 23.03 | 354 | 740 |
| Unknown | 104 | 2.10 | 0.06 | 1.34 | 20.74 | 135 | 2100 |
| STATEWIDE | 4979 | 3.66 | 0.51 | 5.94 | 11.92 | 29588 | 59394 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for OPOSSUMS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 68 | 702 | 1.57 | 13.89 | 0.05 | 1.00 | 1.00 | 23.98 | 8.29 | 69.74 | 133 | 10127 | 2002 | 35322 |
| N. Riverbreaks | 156 | 858 | 3.32 | 16.99 | 0.45 | 1.17 | 1.34 | 8.84 | 2.28 | 9.03 | 362 | 5055 | 708 | 5610 |
| N.E. Riverbreaks | 600 | 1674 | 13.09 | 32.18 | 0.29 | 1.06 | 3.19 | 8.53 | 5.33 | 15.65 | 2594 | 10265 | 4162 | 19990 |
| W. Prairie | 73 | 702 | 1.49 | 13.88 | 0.13 | 3.35 | 0.38 | 3.52 | 1.00 | 6.76 | 64 | 1649 | 85 | 2781 |
| W. Ozark Border | 355 | 1209 | 6.97 | 22.88 | 0.62 | 1.57 | 1.93 | 5.03 | 1.56 | 7.12 | 800 | 4268 | 744 | 5554 |
| Ozark Plateau | 361 | 1381 | 7.76 | 26.35 | 0.24 | 1.08 | 2.19 | 6.66 | 2.27 | 16.92 | 1139 | 6353 | 1254 | 15296 |
| N & E Ozark Border | 497 | 1617 | 10.94 | 30.61 | 0.33 | 1.34 | 4.68 | 19.01 | 7.88 | 27.78 | 2872 | 20924 | 5127 | 31572 |
| Mississippi Lowland | 0 | 112 | 0.00 | 2.29 | . | 0.48 | . | 11.02 | . | 23.03 | 0 | 1233 | 0 | 2579 |
| Unknown | 0 | 287 | 0.00 | 6.09 | . | 0.07 | . | 2.00 | . | 30.04 | 0 | 407 | 0 | 6244 |
| STATEWIDE | 3855 | 6251 | 2.83 | 4.60 | 0.36 | 0.73 | 4.14 | 8.24 | 7.96 | 16.73 | 18415 | 43850 | 35209 | 87549 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Point Value Estimates for BOBCATS
Estimates made by bootstrap method

| Zoogeographic Region | Total Hunters | % Hunting Pressure | Bag/Day | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|-----------------------------|----------------------|---------------------------|----------------|---------------------------|----------------------------|----------------------|--------------------------|
| N.W. Prairie | 472 | 12.73 | 0.00 | 0.00 | 6.68 | 0 | 3173 |
| N. Riverbreaks | 664 | 17.95 | 0.20 | 1.36 | 7.21 | 900 | 4769 |
| N.E. Riverbreaks | 937 | 25.16 | 0.06 | 0.57 | 10.19 | 544 | 9652 |
| W. Prairie | 526 | 14.13 | 0.12 | 0.40 | 3.79 | 206 | 1966 |
| W. Ozark Border | 439 | 11.77 | 0.16 | 0.80 | 5.92 | 353 | 2566 |
| Ozark Plateau | 289 | 7.74 | 0.05 | 0.49 | 10.16 | 135 | 2911 |
| N & E Ozark Border | 149 | 4.00 | 0.07 | 2.27 | 43.75 | 328 | 6232 |
| Mississippi Lowland | 32 | 0.87 | 0.09 | 2.00 | 23.03 | 64 | 740 |
| Unknown | 210 | 5.65 | 0.00 | 0.00 | 5.75 | 0 | 1196 |
| STATEWIDE | 3718 | 2.74 | 0.08 | 0.68 | 8.92 | 2531 | 33205 |

2014 Small Game Survey -- Res and Non-Res
Breakdown by Zoogeographic Regions
Upper and Lower 95% CI for Point Value Estimates for BOBCATS
Estimates made by bootstrap method

| Zoogeographic Region | Low Hunters | High Hunters | Low HP | High HP | Low Bag/Day | High Bag/Day | Low Ses.Bag | High Ses.Bag | Low Days Afld | High Days Afld | Low Harvest | High Harvest | Low Days | High Days |
|----------------------|-------------|--------------|--------|---------|-------------|--------------|-------------|--------------|---------------|----------------|-------------|--------------|----------|-----------|
| N.W. Prairie | 201 | 810 | 4.90 | 21.12 | 0.00 | 0.00 | 0.00 | 0.00 | 2.23 | 12.29 | 0 | 0 | 604 | 6967 |
| N. Riverbreaks | 271 | 1085 | 8.18 | 28.37 | 0.01 | 0.44 | 0.13 | 3.63 | 1.96 | 15.15 | 68 | 2368 | 858 | 10254 |
| N.E. Riverbreaks | 426 | 1536 | 12.62 | 38.23 | 0.01 | 0.13 | 0.11 | 1.15 | 5.57 | 15.40 | 68 | 1213 | 3346 | 18257 |
| W. Prairie | 177 | 964 | 5.05 | 25.07 | 0.00 | 0.38 | 0.00 | 0.86 | 2.10 | 6.28 | 0 | 457 | 477 | 3868 |
| W. Ozark Border | 88 | 854 | 2.86 | 21.94 | 0.00 | 0.54 | 0.00 | 2.00 | 2.00 | 10.03 | 0 | 913 | 352 | 5489 |
| Ozark Plateau | 21 | 620 | 0.69 | 16.35 | 0.00 | 0.25 | 0.00 | 1.56 | 2.01 | 23.75 | 0 | 410 | 104 | 7430 |
| N & E Ozark Border | 0 | 404 | 0.00 | 11.33 | . | 0.14 | . | 3.00 | . | 65.00 | 0 | 1020 | 0 | 18759 |
| Mississippi Lowland | 0 | 112 | 0.00 | 3.11 | . | 0.09 | . | 2.00 | . | 23.03 | 0 | 224 | 0 | 2579 |
| Unknown | 0 | 480 | 0.00 | 12.62 | . | 0.00 | . | 0.00 | . | 9.96 | 0 | 0 | 0 | 2967 |
| STATEWIDE | 2684 | 4790 | 1.98 | 3.54 | 0.04 | 0.13 | 0.32 | 1.13 | 5.99 | 12.54 | 1053 | 4473 | 19733 | 50093 |

TABLE 3. Estimated percentage of successful hunters by species, 2014-2015.

| Species | Estimated % successful hunters |
|-----------------|---------------------------------------|
| Rabbit | 81.5 |
| Squirrel | 90.2 |
| Quail | 71.7 |
| Dove | 92.7 |
| Pheasant | 74.1 |
| Woodcock | 81.8 |
| Crow | 81.5 |
| Raccoon | 90.8 |
| Groundhog | 94.3 |
| Gray Fox | 46.7 |
| Red Fox | 47.4 |
| Coyote | 72.2 |
| Opossum | 95.8 |
| Bobcat | 37.1 |
| Ducks | 89.4 |
| Canada Geese | 72.8 |
| Blue/Snow Geese | 82.8 |

TABLE 4. Small game harvest mail survey estimate summaries, 1967-2014.

| Species | Year | Total Hunters | Average Daily Bag | Average Season Bag | Average Days Afield | Total Harvest | Total Days Afield |
|---------|------|---------------|-------------------|--------------------|---------------------|---------------|-------------------|
| RABBIT | 1967 | 197,735 | 1.94 | 13.52 | 6.98 | 2,673,377 | 1,380,190 |
| | 1968 | 193,631 | 1.94 | 10.47 | 5.39 | 2,026,348 | 1,042,897 |
| | 1969 | 216,777 | 2.09 | 11.28 | 5.39 | 2,444,219 | 1,167,407 |
| | 1970 | 211,152 | 1.58 | 9.94 | 6.31 | 2,099,795 | 1,331,683 |
| | 1971 | 226,728 | 1.52 | 9.56 | 6.29 | 2,167,595 | 1,427,237 |
| | 1972 | 224,247 | 1.49 | 9.26 | 6.20 | 2,076,328 | 2,389,502 |
| | 1973 | 223,000 | 1.37 | 8.56 | 6.25 | 1,909,444 | 1,393,286 |
| | 1974 | 212,029 | 1.28 | 7.99 | 6.22 | 1,693,334 | 1,318,239 |
| | 1975 | 219,477 | 1.44 | 9.55 | 6.65 | 2,096,718 | 1,458,493 |
| | 1976 | 221,907 | 1.37 | 9.08 | 6.62 | 2,014,916 | 1,469,024 |
| | 1977 | 193,247 | 1.39 | 9.07 | 6.54 | 1,752,712 | 1,263,333 |
| | 1978 | 185,894 | 1.46 | 8.36 | 5.71 | 1,553,985 | 1,060,879 |
| | 1979 | 178,097 | 1.27 | 7.21 | 5.68 | 1,283,942 | 1,011,900 |
| | 1980 | 173,572 | 1.39 | 8.59 | 6.19 | 1,491,560 | 1,073,766 |
| | 1981 | 197,295 | 1.48 | 10.71 | 7.22 | 2,112,802 | 1,425,119 |
| | 1982 | 204,782 | 1.64 | 11.23 | 6.85 | 2,300,117 | 1,402,182 |
| | 1983 | 177,815 | 1.51 | 11.21 | 7.42 | 1,993,745 | 1,319,437 |
| | 1984 | 172,190 | 1.33 | 8.36 | 6.29 | 1,439,351 | 1,083,896 |
| | 1985 | 161,086 | 1.46 | 8.35 | 5.72 | 1,345,372 | 920,695 |
| | 1986 | 156,592 | 1.44 | 9.28 | 6.43 | 1,453,642 | 1,007,339 |
| | 1987 | 170,200 | 1.56 | 10.00 | 6.42 | 1,702,355 | 1,092,034 |
| | 1988 | 145,738 | 1.38 | 8.74 | 6.35 | 1,273,323 | 925,047 |
| | 1989 | 142,106 | 1.47 | 8.82 | 6.00 | 1,253,889 | 853,273 |
| | 1990 | 139,907 | 1.51 | 9.74 | 6.45 | 1,362,819 | 902,803 |
| | 1991 | 119,860 | 1.35 | 8.11 | 5.99 | 971,909 | 718,517 |
| | 1992 | 118,186 | 1.42 | 8.37 | 5.90 | 989,263 | 697,798 |
| | 1993 | 115,256 | 1.27 | 7.85 | 6.16 | 904,430 | 709,736 |

| | | | | | | | |
|----------|------|---------|------|-------|------|-----------|-----------|
| | 1994 | 109,659 | 1.37 | 8.21 | 5.97 | 899,820 | 654,575 |
| | 1995 | 113,875 | 1.37 | 7.74 | 5.64 | 881,520 | 642,542 |
| | 1996 | 90,457 | 1.26 | 7.27 | 5.76 | 657,935 | 520,672 |
| | 1997 | 88,235 | 1.30 | 7.22 | 5.56 | 637,268 | 490,579 |
| | 1998 | 93,955 | 1.29 | 7.52 | 5.84 | 706,489 | 548,957 |
| | 1999 | 86,120 | 1.13 | 6.35 | 5.62 | 546,628 | 483,648 |
| | 2000 | 83,001 | 1.29 | 6.93 | 5.39 | 575,452 | 447,125 |
| | 2001 | 74,745 | 1.21 | 6.38 | 5.28 | 476,995 | 394,412 |
| | 2002 | 71,946 | 1.21 | 7.06 | 5.87 | 507,722 | 421,985 |
| | 2003 | 75,460 | 1.27 | 7.02 | 5.54 | 529,439 | 418,281 |
| | 2004 | 69,835 | 1.49 | 7.84 | 5.25 | 547,330 | 366,724 |
| | 2005 | 60,948 | 1.10 | 7.45 | 6.81 | 454,324 | 415,094 |
| | 2006 | 61,976 | 1.13 | 6.97 | 6.19 | 432,109 | 383,619 |
| | 2007 | 61,738 | 1.03 | 6.95 | 6.77 | 429,109 | 417,906 |
| | 2008 | 49,709 | 1.16 | 6.76 | 5.82 | 336,305 | 289,310 |
| | 2010 | 47,936 | 0.92 | 5.89 | 6.44 | 282,462 | 308,753 |
| | 2012 | 48,750 | 1.10 | 6.05 | 5.52 | 294,867 | 269,352 |
| | 2014 | 43,023 | 1.09 | 7.63 | 7.00 | 328,254 | 301,269 |
| SQUIRREL | 1967 | 182,501 | 1.69 | 13.02 | 7.72 | 2,376,163 | 1,408,908 |
| | 1968 | 182,908 | 2.38 | 14.13 | 5.94 | 2,583,576 | 1,085,705 |
| | 1969 | 205,657 | 2.02 | 13.81 | 6.85 | 2,839,780 | 1,409,172 |
| | 1970 | 187,237 | 1.45 | 10.23 | 7.06 | 1,916,015 | 1,322,331 |
| | 1971 | 212,973 | 1.61 | 13.06 | 8.10 | 2,780,446 | 1,724,082 |
| | 1972 | 218,332 | 1.69 | 14.45 | 8.53 | 3,155,052 | 1,861,889 |
| | 1973 | 215,690 | 1.45 | 10.59 | 7.31 | 2,285,074 | 1,576,644 |
| | 1974 | 207,068 | 1.46 | 11.63 | 7.95 | 2,407,567 | 1,646,042 |
| | 1975 | 217,767 | 1.59 | 13.57 | 8.52 | 2,955,307 | 1,855,895 |
| | 1976 | 214,788 | 1.45 | 11.67 | 8.02 | 2,506,576 | 1,722,600 |
| | 1977 | 193,970 | 1.46 | 11.61 | 7.98 | 2,252,618 | 1,547,983 |
| | 1978 | 199,812 | 1.63 | 12.48 | 7.67 | 2,492,858 | 1,533,094 |
| | 1979 | 201,105 | 1.73 | 13.41 | 7.75 | 2,697,125 | 1,558,824 |

| | | | | | | | |
|--|------|---------|------|-------|------|-----------|-----------|
| | 1980 | 178,989 | 1.46 | 10.40 | 7.41 | 1,860,886 | 1,277,274 |
| | 1981 | 176,581 | 1.47 | 12.09 | 8.24 | 2,255,502 | 1,537,671 |
| | 1982 | 191,754 | 1.65 | 14.50 | 8.79 | 2,779,531 | 1,684,954 |
| | 1983 | 175,242 | 1.66 | 14.86 | 8.97 | 2,604,602 | 1,572,747 |
| | 1984 | 160,225 | 1.22 | 9.49 | 7.75 | 1,519,770 | 1,241,338 |
| | 1985 | 142,156 | 1.32 | 8.71 | 6.58 | 1,238,649 | 935,459 |
| | 1986 | 144,800 | 1.34 | 11.04 | 8.22 | 1,598,162 | 1,189,806 |
| | 1987 | 160,731 | 1.58 | 13.15 | 8.32 | 2,114,250 | 1,337,624 |
| | 1988 | 151,356 | 1.54 | 12.68 | 8.22 | 1,919,199 | 1,244,389 |
| | 1989 | 151,203 | 1.60 | 14.40 | 9.02 | 2,177,342 | 1,364,528 |
| | 1990 | 136,564 | 1.55 | 12.35 | 7.99 | 1,686,271 | 1,090,491 |
| | 1991 | 127,395 | 1.51 | 12.05 | 7.98 | 1,534,559 | 1,016,096 |
| | 1992 | 125,916 | 1.57 | 13.65 | 8.68 | 1,718,937 | 1,093,447 |
| | 1993 | 119,445 | 1.41 | 12.37 | 8.79 | 1,477,293 | 1,049,343 |
| | 1994 | 118,839 | 1.70 | 13.63 | 7.99 | 1,619,414 | 950,110 |
| | 1995 | 117,493 | 1.67 | 12.12 | 7.25 | 1,424,183 | 851,615 |
| | 1996 | 106,356 | 1.69 | 12.97 | 7.70 | 1,379,555 | 819,038 |
| | 1997 | 95,707 | 1.45 | 10.82 | 7.48 | 1,035,713 | 716,285 |
| | 1998 | 105,730 | 1.51 | 12.56 | 7.48 | 1,340,788 | 830,866 |
| | 1999 | 93,337 | 1.40 | 10.30 | 7.34 | 961,004 | 685,030 |
| | 2000 | 90,270 | 1.59 | 10.87 | 6.84 | 981,209 | 617,051 |
| | 2001 | 91,621 | 1.68 | 12.88 | 7.66 | 1,180,329 | 701,487 |
| | 2002 | 85,285 | 1.40 | 12.09 | 8.65 | 1,030,983 | 737,968 |
| | 2003 | 82,687 | 1.56 | 11.23 | 7.22 | 928,822 | 597,142 |
| | 2004 | 77,911 | 1.70 | 12.16 | 7.16 | 947,674 | 557,481 |
| | 2005 | 71,487 | 1.54 | 13.00 | 8.46 | 929,200 | 604,937 |
| | 2006 | 76,117 | 1.52 | 13.87 | 9.17 | 1,055,429 | 697,655 |
| | 2007 | 71,949 | 1.38 | 13.24 | 9.59 | 952,532 | 689,714 |
| | 2008 | 63,447 | 1.43 | 11.52 | 8.07 | 731,035 | 512,071 |
| | 2010 | 58,281 | 1.23 | 11.10 | 9.03 | 646,660 | 526,343 |
| | 2012 | 67,870 | 1.50 | 11.90 | 7.95 | 807,979 | 539,373 |

| | | | | | | | |
|-------|------|---------|------|-------|------|-----------|-----------|
| | 2014 | 65,238 | 1.53 | 13.01 | 8.50 | 848,910 | 554,346 |
| QUAIL | 1967 | 161,287 | 3.16 | 20.38 | 6.45 | 3,287,029 | 1,040,301 |
| | 1968 | 167,908 | 3.15 | 18.08 | 5.75 | 3,036,448 | 965,370 |
| | 1969 | 186,019 | 3.39 | 21.40 | 6.32 | 3,980,643 | 1,175,028 |
| | 1970 | 176,029 | 3.01 | 20.59 | 6.83 | 3,624,708 | 1,202,813 |
| | 1971 | 184,638 | 2.90 | 18.96 | 6.54 | 3,501,012 | 1,208,338 |
| | 1972 | 185,835 | 2.94 | 18.68 | 6.36 | 3,471,541 | 1,181,649 |
| | 1973 | 180,296 | 2.74 | 17.36 | 6.33 | 3,130,541 | 1,140,718 |
| | 1974 | 167,961 | 2.40 | 15.83 | 6.61 | 2,659,543 | 1,109,624 |
| | 1975 | 161,330 | 2.60 | 17.48 | 6.72 | 2,819,821 | 1,083,957 |
| | 1976 | 162,390 | 2.57 | 16.80 | 6.54 | 2,728,152 | 1,062,031 |
| | 1977 | 121,442 | 2.21 | 13.20 | 5.96 | 1,603,242 | 742,073 |
| | 1978 | 118,307 | 2.41 | 14.10 | 5.85 | 1,668,718 | 691,600 |
| | 1979 | 110,637 | 2.08 | 11.33 | 5.44 | 1,253,863 | 601,518 |
| | 1980 | 107,884 | 2.34 | 14.16 | 6.05 | 1,527,369 | 652,949 |
| | 1981 | 122,640 | 2.47 | 14.66 | 5.94 | 1,797,312 | 728,830 |
| | 1982 | 132,314 | 2.72 | 18.45 | 6.78 | 2,441,213 | 897,585 |
| | 1983 | 117,376 | 2.42 | 16.99 | 7.02 | 1,993,909 | 823,656 |
| | 1984 | 105,351 | 1.84 | 11.61 | 6.30 | 1,222,862 | 664,218 |
| | 1985 | 91,853 | 1.99 | 11.72 | 5.90 | 1,076,192 | 542,156 |
| | 1986 | 97,744 | 2.26 | 14.60 | 6.45 | 1,426,929 | 630,167 |
| | 1987 | 110,510 | 2.47 | 17.98 | 7.27 | 1,986,960 | 803,893 |
| | 1988 | 98,376 | 2.23 | 15.09 | 6.76 | 1,484,121 | 664,584 |
| | 1989 | 98,475 | 2.42 | 17.49 | 7.24 | 1,722,782 | 712,965 |
| | 1990 | 97,728 | 2.55 | 19.18 | 5.14 | 1,874,477 | 733,804 |
| | 1991 | 90,958 | 2.60 | 19.34 | 7.43 | 1,758,887 | 675,890 |
| | 1992 | 81,334 | 2.07 | 13.61 | 6.59 | 1,107,111 | 536,027 |
| | 1993 | 77,175 | 2.09 | 15.62 | 7.48 | 1,205,136 | 577,582 |
| | 1994 | 75,107 | 2.32 | 16.56 | 7.15 | 1,244,131 | 536,694 |
| | 1995 | 81,043 | 2.08 | 13.63 | 6.55 | 1,104,960 | 530,743 |
| | 1996 | 64,195 | 1.70 | 10.31 | 6.08 | 661,584 | 390,188 |

| | | | | | | | |
|------|------|--------|------|-------|------|-----------|---------|
| | 1997 | 59,285 | 1.86 | 11.62 | 6.24 | 688,706 | 370,082 |
| | 1998 | 59,653 | 1.85 | 11.72 | 6.34 | 699,052 | 378,188 |
| | 1999 | 54,052 | 1.62 | 9.80 | 6.05 | 529,690 | 326,959 |
| | 2000 | 47,380 | 1.59 | 9.11 | 5.73 | 431,608 | 271,406 |
| | 2001 | 41,464 | 1.47 | 8.05 | 5.49 | 333,612 | 227,452 |
| | 2002 | 39,636 | 1.47 | 9.45 | 6.44 | 374,497 | 255,269 |
| | 2003 | 41,497 | 1.73 | 10.28 | 5.93 | 426,590 | 246,249 |
| | 2004 | 40,665 | 1.74 | 10.46 | 6.01 | 425,127 | 244,186 |
| | 2005 | 33,301 | 1.68 | 10.39 | 6.21 | 345,993 | 206,670 |
| | 2006 | 30,119 | 1.59 | 9.70 | 6.12 | 292,080 | 184,203 |
| | 2007 | 27,830 | 1.58 | 9.29 | 5.87 | 258,448 | 163,364 |
| | 2008 | 21,459 | 1.49 | 8.92 | 6.02 | 191,172 | 129,210 |
| | 2010 | 18,471 | 1.36 | 7.64 | 5.63 | 141,161 | 103,934 |
| | 2012 | 15,078 | 1.40 | 6.69 | 4.81 | 100,894 | 72,579 |
| | 2014 | 12,335 | 2.25 | 8.91 | 3.95 | 109,904 | 48,689 |
| DOVE | 1967 | 52,885 | 3.16 | 13.61 | 4.31 | 719,765 | 227,934 |
| | 1968 | 55,474 | 2.28 | 15.10 | 6.62 | 837,879 | 367,438 |
| | 1969 | 63,741 | 3.83 | 17.86 | 4.67 | 1,138,252 | 297,410 |
| | 1970 | 66,062 | 3.14 | 15.38 | 4.90 | 1,016,136 | 323,750 |
| | 1971 | 74,030 | 3.25 | 16.79 | 5.16 | 1,243,158 | 382,308 |
| | 1972 | 81,151 | 3.51 | 17.10 | 4.87 | 1,387,310 | 395,573 |
| | 1973 | 79,705 | 3.59 | 19.04 | 5.30 | 1,517,246 | 422,077 |
| | 1974 | 81,436 | 3.25 | 16.92 | 5.21 | 1,378,097 | 424,640 |
| | 1975 | 84,054 | 3.53 | 18.19 | 5.15 | 1,528,548 | 432,620 |
| | 1976 | 90,495 | 3.31 | 18.97 | 5.72 | 1,716,890 | 517,631 |
| | 1977 | 70,841 | 2.92 | 16.25 | 5.56 | 1,151,047 | 393,963 |
| | 1978 | 67,022 | 3.12 | 15.10 | 4.84 | 1,021,102 | 324,452 |
| | 1979 | 68,967 | 3.23 | 14.62 | 4.52 | 1,008,017 | 311,684 |
| | 1980 | 70,934 | 3.24 | 16.16 | 4.99 | 1,146,525 | 353,930 |
| | 1981 | 71,920 | 3.10 | 16.43 | 5.30 | 1,181,890 | 381,369 |
| | 1982 | 67,931 | 3.21 | 16.89 | 5.25 | 1,147,499 | 356,929 |

| | | | | | | | |
|----------|------|--------|------|-------|------|-----------|---------|
| | 1983 | 63,779 | 3.22 | 17.79 | 5.53 | 1,134,449 | 352,784 |
| | 1984 | 61,218 | 3.05 | 15.07 | 4.95 | 922,781 | 302,863 |
| | 1985 | 55,576 | 3.23 | 14.44 | 4.47 | 802,636 | 248,299 |
| | 1986 | 56,333 | 3.40 | 15.17 | 4.47 | 854,492 | 251,541 |
| | 1987 | 67,600 | 3.61 | 17.79 | 4.93 | 1,202,484 | 333,327 |
| | 1988 | 65,565 | 3.32 | 17.29 | 5.21 | 1,133,541 | 341,534 |
| | 1989 | 63,147 | 3.49 | 16.46 | 4.72 | 1,039,645 | 298,281 |
| | 1990 | 59,361 | 3.27 | 16.81 | 5.14 | 997,659 | 305,281 |
| | 1991 | 55,813 | 3.61 | 16.59 | 4.59 | 925,945 | 256,298 |
| | 1992 | 53,408 | 3.54 | 15.82 | 4.47 | 845,107 | 238,766 |
| | 1993 | 43,715 | 3.66 | 17.07 | 4.67 | 746,374 | 204,130 |
| | 1994 | 48,978 | 4.00 | 18.43 | 4.61 | 902,594 | 225,724 |
| | 1995 | 49,381 | 4.03 | 19.05 | 4.72 | 940,852 | 233,178 |
| | 1996 | 45,240 | 3.97 | 18.17 | 4.58 | 822,004 | 207,157 |
| | 1997 | 43,286 | 4.18 | 17.56 | 4.21 | 760,246 | 182,173 |
| | 1998 | 44,199 | 4.02 | 16.91 | 4.21 | 747,434 | 185,965 |
| | 1999 | 42,858 | 4.27 | 17.32 | 4.06 | 742,129 | 173,835 |
| | 2000 | 41,413 | 4.08 | 16.49 | 4.04 | 682,860 | 167,251 |
| | 2001 | 40,879 | 4.31 | 17.67 | 4.10 | 722,276 | 167,703 |
| | 2002 | 38,531 | 4.01 | 17.78 | 4.44 | 685,176 | 170,985 |
| | 2003 | 43,531 | 4.35 | 18.52 | 4.26 | 806,349 | 185,458 |
| | 2004 | 40,083 | 4.15 | 18.03 | 4.35 | 722,765 | 174,318 |
| | 2005 | 35,683 | 4.22 | 19.57 | 4.65 | 698,143 | 165,847 |
| | 2006 | 41,228 | 3.94 | 18.43 | 4.69 | 759,829 | 193,146 |
| | 2007 | 37,395 | 4.08 | 17.82 | 4.37 | 666,420 | 163,504 |
| | 2008 | 32,355 | 4.11 | 15.88 | 3.86 | 513,831 | 125,036 |
| | 2010 | 30,751 | 3.76 | 15.63 | 4.16 | 480,557 | 127,975 |
| | 2012 | 27,975 | 4.15 | 17.89 | 4.32 | 500,585 | 120,958 |
| | 2014 | 31,409 | 4.43 | 17.68 | 4.00 | 555,164 | 125,667 |
| PHEASANT | 1967 | 3,686 | 0.54 | 2.01 | 3.76 | 7,407 | 13,859 |
| | 1968 | 4,649 | 0.48 | 2.35 | 4.88 | 10,910 | 22,687 |

| | | | | | | | |
|--|------|--------|------|------|------|--------|---------|
| | 1969 | 6,956 | 0.53 | 2.35 | 4.40 | 16,347 | 30,606 |
| | 1970 | 9,297 | 0.58 | 2.94 | 5.10 | 27,374 | 47,415 |
| | 1971 | 9,273 | 0.44 | 2.02 | 4.61 | 18,701 | 42,759 |
| | 1972 | 9,267 | 0.47 | 1.92 | 4.09 | 17,802 | 37,921 |
| | 1973 | 7,374 | 0.42 | 2.19 | 5.18 | 16,173 | 38,233 |
| | 1974 | 9,599 | 0.45 | 2.06 | 4.62 | 19,778 | 44,323 |
| | 1975 | 10,008 | 0.54 | 2.24 | 4.16 | 22,423 | 41,678 |
| | 1976 | 8,209 | 0.48 | 1.87 | 3.87 | 15,351 | 31,769 |
| | 1977 | 6,988 | 0.37 | 1.57 | 4.29 | 11,004 | 29,959 |
| | 1978 | 6,771 | 0.46 | 2.22 | 4.79 | 15,047 | 32,414 |
| | 1979 | 11,301 | 0.51 | 2.18 | 4.30 | 24,689 | 48,625 |
| | 1980 | 11,860 | 0.52 | 2.60 | 5.00 | 30,791 | 59,245 |
| | 1981 | 12,822 | 0.48 | 2.35 | 4.86 | 30,090 | 62,346 |
| | 1982 | 19,309 | 0.57 | 2.51 | 4.43 | 48,389 | 85,495 |
| | 1983 | 18,786 | 0.52 | 2.50 | 4.85 | 46,993 | 91,195 |
| | 1984 | 18,199 | 0.59 | 2.04 | 4.86 | 51,757 | 88,377 |
| | 1985 | 19,141 | 0.48 | 2.41 | 4.97 | 46,085 | 95,070 |
| | 1986 | 18,442 | 0.52 | 2.56 | 4.91 | 47,168 | 90,535 |
| | 1987 | 23,492 | 0.50 | 2.62 | 5.23 | 61,607 | 122,855 |
| | 1988 | 19,046 | 0.43 | 2.39 | 5.53 | 45,564 | 105,230 |
| | 1989 | 22,371 | 0.55 | 2.68 | 4.85 | 60,026 | 108,470 |
| | 1990 | 24,479 | 0.60 | 3.66 | 6.05 | 89,489 | 148,192 |
| | 1991 | 20,291 | 0.57 | 3.38 | 5.90 | 68,622 | 119,645 |
| | 1992 | 13,863 | 0.47 | 2.43 | 5.16 | 33,711 | 71,560 |
| | 1993 | 16,995 | 0.59 | 3.35 | 5.73 | 57,002 | 97,395 |
| | 1994 | 18,310 | 0.68 | 3.55 | 5.23 | 64,918 | 95,737 |
| | 1995 | 23,892 | 0.61 | 3.43 | 5.62 | 82,001 | 134,202 |
| | 1996 | 20,237 | 0.52 | 2.51 | 4.88 | 50,793 | 98,733 |
| | 1997 | 20,266 | 0.54 | 2.96 | 5.49 | 59,976 | 111,176 |
| | 1998 | 19,865 | 0.55 | 3.02 | 5.47 | 59,935 | 108,662 |
| | 1999 | 16,960 | 0.49 | 2.72 | 5.55 | 46,203 | 94,111 |

| | | | | | | | |
|-------|------|--------|------|-------|------|---------|---------|
| | 2000 | 15,446 | 0.55 | 2.93 | 5.31 | 45,284 | 81,941 |
| | 2001 | 12,409 | 0.45 | 1.92 | 4.28 | 23,856 | 53,072 |
| | 2002 | 11,148 | 0.50 | 2.92 | 5.86 | 32,508 | 65,328 |
| | 2003 | 11,995 | 0.46 | 2.49 | 5.44 | 29,848 | 65,220 |
| | 2004 | 11,863 | 0.55 | 2.16 | 3.92 | 25,655 | 46,553 |
| | 2005 | 11,215 | 0.56 | 2.78 | 4.96 | 31,204 | 55,650 |
| | 2006 | 10,433 | 0.63 | 3.29 | 5.23 | 34,306 | 54,587 |
| | 2007 | 10,102 | 0.61 | 3.05 | 4.99 | 30,859 | 50,417 |
| | 2008 | 8,810 | 0.96 | 3.55 | 3.71 | 31,260 | 32,672 |
| | 2010 | 6,163 | 0.66 | 2.64 | 4.04 | 16,254 | 24,873 |
| | 2012 | 6,441 | 0.94 | 3.07 | 3.33 | 19,748 | 21,497 |
| | 2014 | 5,370 | 1.19 | 3.43 | 2.91 | 18,432 | 15,588 |
| DUCKS | 1967 | 42,729 | 1.31 | 8.11 | 6.17 | 346,532 | 263,638 |
| | 1968 | 33,408 | 0.90 | 4.92 | 5.49 | 164,498 | 183,280 |
| | 1969 | 46,232 | 1.24 | 6.55 | 5.26 | 302,614 | 243,227 |
| | 1970 | 58,573 | 1.10 | 7.70 | 7.00 | 450,867 | 409,907 |
| | 1971 | 51,878 | 1.12 | 7.27 | 6.49 | 377,313 | 336,872 |
| | 1972 | 53,104 | 1.18 | 7.68 | 6.51 | 407,578 | 345,511 |
| | 1973 | 46,549 | 1.15 | 7.31 | 6.38 | 340,099 | 296,773 |
| | 1974 | 51,477 | 1.01 | 6.76 | 6.68 | 348,162 | 344,039 |
| | 1975 | 54,410 | 1.18 | 8.97 | 7.59 | 488,107 | 412,984 |
| | 1976 | 51,372 | 1.10 | 7.77 | 7.09 | 399,160 | 364,227 |
| | 1977 | 45,380 | 1.07 | 7.41 | 6.95 | 336,455 | 315,170 |
| | 1978 | 46,280 | 1.28 | 9.43 | 7.36 | 436,553 | 341,255 |
| | 1979 | 43,756 | 1.07 | 8.29 | 7.76 | 362,684 | 339,676 |
| | 1980 | 36,494 | 1.19 | 9.13 | 7.67 | 333,175 | 279,974 |
| | 1981 | 36,302 | 1.20 | 9.95 | 8.30 | 361,081 | 301,300 |
| | 1982 | 38,095 | 1.24 | 9.13 | 7.39 | 347,739 | 281,553 |
| | 1983 | 30,986 | 1.33 | 10.00 | 7.51 | 309,918 | 232,671 |
| | 1984 | 32,947 | 1.26 | 9.45 | 7.51 | 311,322 | 247,544 |
| | 1985 | 29,634 | 1.28 | 9.34 | 7.30 | 276,825 | 216,187 |

| | | | | | | | |
|-------|------|--------|------|-------|-------|---------|---------|
| | 1986 | 30,905 | 1.15 | 8.22 | 7.13 | 254,000 | 220,245 |
| | 1987 | 28,526 | 1.09 | 8.42 | 7.75 | 240,257 | 221,199 |
| | 1988 | 21,967 | 0.91 | 5.93 | 6.52 | 130,175 | 143,210 |
| | 1989 | 23,535 | 1.10 | 6.86 | 6.26 | 161,516 | 147,342 |
| | 1990 | 21,890 | 1.09 | 7.66 | 7.05 | 167,681 | 154,265 |
| | 1991 | 19,537 | 1.19 | 7.95 | 6.69 | 155,329 | 130,786 |
| | 1992 | 22,191 | 1.20 | 8.48 | 7.08 | 188,200 | 157,133 |
| | 1993 | 16,417 | 1.13 | 7.87 | 7.00 | 129,266 | 114,871 |
| | 1994 | 19,521 | 1.11 | 9.54 | 8.61 | 186,178 | 168,020 |
| | 1995 | 24,212 | 1.33 | 11.91 | 8.94 | 288,306 | 216,363 |
| | 1996 | 27,299 | 1.37 | 11.12 | 8.10 | 303,516 | 221,159 |
| | 1997 | 29,979 | 1.46 | 13.09 | 8.95 | 392,529 | 268,236 |
| | 1998 | 34,575 | 1.46 | 14.05 | 9.65 | 485,787 | 333,786 |
| | 1999 | 32,489 | 1.40 | 12.08 | 8.61 | 392,642 | 279,782 |
| | 2000 | 33,155 | 1.54 | 13.22 | 8.58 | 438,183 | 284,401 |
| | 2001 | 37,760 | 1.50 | 12.62 | 8.41 | 476,450 | 317,749 |
| | 2002 | 34,405 | 1.43 | 12.16 | 8.53 | 418,445 | 293,398 |
| | 2003 | 36,088 | 1.58 | 13.51 | 8.56 | 487,340 | 308,770 |
| | 2004 | 37,391 | 1.40 | 12.82 | 9.13 | 479,163 | 341,502 |
| | 2005 | 34,478 | 1.66 | 15.02 | 9.05 | 517,786 | 312,215 |
| | 2006 | 32,372 | 1.95 | 18.77 | 9.60 | 607,635 | 310,822 |
| | 2007 | 34,990 | 1.79 | 17.61 | 9.85 | 616,373 | 344,570 |
| | 2008 | 31,532 | 1.76 | 17.66 | 10.05 | 557,083 | 316,924 |
| | 2010 | 30,836 | 2.10 | 21.57 | 10.26 | 665,270 | 316,541 |
| | 2012 | 33,006 | 1.95 | 18.77 | 9.60 | 619,431 | 316,926 |
| | 2014 | 37,297 | 1.85 | 18,49 | 10.02 | 689,790 | 373,783 |
| GEESE | 1967 | 26,555 | 0.75 | 3.49 | 4.66 | 92,677 | 123,746 |
| | 1968 | 28,202 | 0.55 | 2.61 | 4.73 | 73,697 | 133,325 |
| | 1969 | 31,989 | 0.68 | 2.92 | 4.32 | 93,412 | 138,035 |
| | 1970 | 34,658 | 0.67 | 2.96 | 4.42 | 102,424 | 153,197 |
| | 1971 | 29,468 | 0.48 | 2.24 | 4.65 | 65,994 | 136,985 |

| | | | | | | | |
|--------------|------|--------|------|------|------|--------|---------|
| CANADA GEESE | 1972 | 25,729 | 0.38 | 1.58 | 4.11 | 40,606 | 105,659 |
| | 1973 | 24,235 | 0.47 | 1.90 | 4.02 | 46,053 | 97,436 |
| | 1974 | 31,118 | 0.41 | 1.84 | 4.50 | 57,211 | 140,063 |
| | 1975 | 35,978 | 0.47 | 2.60 | 5.50 | 93,365 | 198,004 |
| | 1976 | 35,787 | 0.42 | 1.95 | 4.68 | 69,785 | 167,483 |
| | 1977 | 30,521 | 0.40 | 2.16 | 5.33 | 65,891 | 162,726 |
| | 1978 | 33,856 | 0.38 | 2.14 | 5.66 | 72,351 | 191,599 |
| | 1979 | 29,036 | 0.33 | 2.04 | 6.16 | 59,346 | 178,792 |
| | 1980 | 24,063 | 0.47 | 3.01 | 6.38 | 72,474 | 153,444 |
| | 1981 | 27,355 | 0.39 | 2.60 | 6.62 | 71,122 | 181,110 |
| | 1982 | 23,729 | 0.33 | 1.94 | 5.87 | 46,005 | 139,177 |
| | 1983 | 18,121 | 0.33 | 1.83 | 5.48 | 33,121 | 99,309 |
| | 1984 | 18,755 | 0.34 | 1.96 | 5.80 | 36,731 | 108,746 |
| | 1985 | 19,193 | 0.40 | 2.10 | 5.32 | 40,390 | 102,108 |
| | 1986 | 17,883 | 0.29 | 1.79 | 6.14 | 31,967 | 109,871 |
| | 1987 | 16,361 | 0.30 | 1.94 | 6.50 | 31,703 | 106,315 |
| | 1988 | 16,630 | 0.42 | 2.36 | 5.60 | 39,328 | 93,095 |
| | 1989 | 15,337 | 0.41 | 2.30 | 5.63 | 35,222 | 86,364 |
| | 1990 | 15,958 | 0.39 | 2.54 | 6.55 | 40,579 | 104,459 |
| | 1991 | 12,971 | 0.45 | 3.01 | 6.72 | 39,074 | 87,191 |
| | 1992 | 14,362 | 0.36 | 2.30 | 6.40 | 33,062 | 91,906 |
| | 1993 | 10,881 | 0.52 | 3.35 | 6.38 | 36,397 | 69,423 |
| | 1994 | 14,275 | 0.47 | 3.47 | 7.40 | 49,533 | 105,573 |
| | 1995 | 16,177 | 0.52 | 4.26 | 8.23 | 68,864 | 133,085 |
| | 1996 | 16,249 | 0.55 | 3.37 | 6.76 | 60,592 | 109,778 |
| | 1997 | 17,642 | 0.44 | 2.98 | 6.82 | 52,523 | 120,236 |
| | 1998 | 16,613 | 0.40 | 3.05 | 7.62 | 50,695 | 126,708 |
| | 1999 | 15,757 | 0.46 | 3.28 | 7.09 | 51,595 | 111,740 |
| | 2000 | 17,694 | 0.64 | 3.85 | 6.04 | 68,178 | 106,923 |
| | 2001 | 16,999 | 0.49 | 3.18 | 6.57 | 54,112 | 111,665 |
| | 2002 | 14,655 | 0.46 | 3.22 | 6.99 | 47,151 | 102,414 |

| | | | | | | | |
|-----------------|------|--------|------|------|------|---------|---------|
| | 2003 | 15,308 | 0.63 | 4.06 | 6.48 | 62,096 | 115,530 |
| | 2004 | 16,215 | 0.47 | 3.25 | 6.89 | 52,676 | 111,729 |
| | 2005 | 16,268 | 0.70 | 5.51 | 7.85 | 89,669 | 127,625 |
| | 2006 | 13,098 | 0.57 | 4.75 | 8.38 | 62,163 | 109,741 |
| | 2007 | 15,139 | 0.65 | 4.95 | 7.60 | 74,955 | 115,015 |
| | 2008 | 14,163 | 0.69 | 5.58 | 8.11 | 79,054 | 114,930 |
| | 2010 | 14,753 | 0.72 | 6.81 | 9.46 | 100,491 | 139,499 |
| | 2012 | 13,101 | 0.58 | 4.02 | 7.02 | 52,598 | 91,963 |
| | 2014 | 14,460 | 0.80 | 6.75 | 8.51 | 97,633 | 123,053 |
| BLUE/SNOW GEESE | 1972 | 11,645 | 0.51 | 2.47 | 4.85 | 28,777 | 56,457 |
| | 1973 | 11,653 | 0.67 | 3.70 | 5.54 | 43,079 | 65,525 |
| | 1974 | 15,076 | 0.48 | 2.78 | 5.81 | 41,942 | 87,621 |
| | 1975 | 15,519 | 0.63 | 3.48 | 5.55 | 53,967 | 86,081 |
| | 1976 | 12,057 | 0.35 | 1.93 | 5.53 | 23,270 | 66,675 |
| | 1977 | 13,172 | 0.33 | 1.99 | 5.94 | 26,184 | 78,230 |
| | 1978 | 11,912 | 0.35 | 2.22 | 6.26 | 26,456 | 74,546 |
| | 1979 | 13,792 | 0.35 | 2.22 | 6.35 | 30,600 | 87,628 |
| | 1980 | 9,637 | 0.27 | 1.90 | 7.04 | 18,304 | 67,855 |
| | 1981 | 9,745 | 0.24 | 1.95 | 7.99 | 18,977 | 77,904 |
| | 1982 | 9,771 | 0.34 | 2.13 | 6.23 | 20,821 | 60,835 |
| | 1983 | 7,008 | 0.44 | 3.13 | 7.06 | 21,953 | 49,491 |
| | 1984 | 8,626 | 0.43 | 3.15 | 7.41 | 27,214 | 63,945 |
| | 1985 | 7,698 | 0.41 | 2.40 | 5.90 | 18,508 | 45,399 |
| | 1986 | 7,321 | 0.24 | 1.85 | 7.82 | 13,524 | 57,227 |
| | 1987 | 6,892 | 0.40 | 2.65 | 6.57 | 18,278 | 45,247 |
| | 1988 | 6,686 | 0.39 | 2.23 | 5.75 | 14,888 | 38,429 |
| | 1989 | 5,712 | 0.62 | 3.50 | 5.62 | 19,991 | 32,102 |
| | 1990 | 7,202 | 0.38 | 2.64 | 6.90 | 19,018 | 49,664 |
| | 1991 | 4,898 | 0.53 | 4.16 | 7.88 | 20,398 | 38,590 |
| | 1992 | 5,386 | 0.43 | 2.40 | 5.56 | 12,916 | 29,970 |
| | 1993 | 4,814 | 0.62 | 3.91 | 6.30 | 18,824 | 30,331 |

| | | | | | | | |
|---------------|------|--------|------|-------|-------|---------|---------|
| | 1994 | 5,700 | 0.71 | 5.56 | 7.87 | 31,677 | 44,842 |
| | 1995 | 7,130 | 0.79 | 5.67 | 7.16 | 40,442 | 51,084 |
| | 1996 | 8,072 | 0.92 | 5.92 | 6.47 | 47,778 | 52,212 |
| | 1997 | 8,175 | 0.90 | 5.50 | 6.16 | 44,989 | 50,325 |
| | 1998 | 9,685 | 1.44 | 11.02 | 7.66 | 106,950 | 74,192 |
| | 1999 | 9,196 | 1.04 | 8.68 | 8.42 | 79,848 | 77,393 |
| | 2000 | 7,797 | 1.23 | 7.02 | 5.72 | 54,722 | 44,566 |
| | 2001 | 9,487 | 1.98 | 11.83 | 5.99 | 112,324 | 56,807 |
| | 2002 | 7,845 | 2.82 | 20.37 | 7.20 | 160,066 | 56,452 |
| | 2003 | 8,833 | 1.82 | 10.83 | 6.00 | 95,674 | 53,023 |
| | 2004 | 8,196 | 1.57 | 9.01 | 5.78 | 73,816 | 47,347 |
| | 2005 | 6,702 | 1.12 | 7.83 | 7.07 | 52,465 | 47,359 |
| | 2006 | 6,492 | 2.64 | 20.00 | 7.55 | 130,033 | 49,022 |
| | 2007 | 6,769 | 2.16 | 19.06 | 8.79 | 129,241 | 59,604 |
| | 2008 | 6,150 | 2.36 | 14.44 | 6.19 | 88,889 | 38,069 |
| | 2010 | 6,636 | 3.03 | 23.13 | 7.60 | 153,098 | 50,432 |
| | 2012 | 9,887 | 2.43 | 17.46 | 7.28 | 172,565 | 72,022 |
| | 2014 | 6,684 | 2.60 | 22.43 | 8.85 | 150,070 | 59,134 |
| ALL WATERFOWL | 1972 | 62,433 | 0.94 | 7.64 | 7.13 | 476,966 | 507,633 |
| | 1973 | 55,904 | 0.94 | 7.68 | 8.21 | 429,196 | 458,884 |
| | 1974 | 62,752 | 0.78 | 7.13 | 9.11 | 447,318 | 571,726 |
| | 1975 | 66,698 | 0.91 | 9.53 | 10.45 | 635,438 | 697,069 |
| | 1976 | 63,750 | 0.82 | 7.72 | 9.40 | 492,150 | 599,250 |
| | 1977 | 56,705 | 0.77 | 7.56 | 9.81 | 428,500 | 556,127 |
| | 1978 | 58,182 | 0.88 | 9.20 | 10.44 | 535,362 | 607,462 |
| | 1979 | 52,392 | 0.75 | 8.64 | 11.57 | 452,631 | 606,097 |
| | 1980 | 43,507 | 0.85 | 9.74 | 11.52 | 423,952 | 501,273 |
| | 1981 | 45,534 | 0.81 | 9.91 | 12.31 | 451,180 | 560,314 |
| | 1982 | 44,841 | 0.86 | 9.25 | 10.74 | 414,565 | 481,566 |
| | 1983 | 35,585 | 0.96 | 10.26 | 10.72 | 364,992 | 381,471 |
| | 1984 | 38,011 | 0.89 | 9.87 | 11.06 | 375,268 | 420,235 |

| | | | | | | | |
|----------|------|--------|------|-------|-------|---------|---------|
| | 1985 | 34,274 | 0.92 | 9.80 | 10.61 | 335,723 | 363,775 |
| | 1986 | 34,370 | 0.77 | 8.71 | 11.27 | 299,491 | 387,344 |
| | 1987 | 32,482 | 0.78 | 8.94 | 11.48 | 290,238 | 372,761 |
| | 1988 | 27,473 | 0.67 | 6.71 | 10.00 | 184,391 | 274,733 |
| | 1989 | 27,713 | 0.82 | 7.82 | 9.59 | 216,729 | 265,808 |
| | 1990 | 26,786 | 0.74 | 8.49 | 11.51 | 227,278 | 308,388 |
| | 1991 | 22,874 | 0.84 | 9.39 | 11.22 | 214,802 | 256,567 |
| | 1992 | 24,934 | 0.84 | 9.39 | 11.19 | 234,178 | 279,009 |
| | 1993 | 19,354 | 0.86 | 9.53 | 11.09 | 184,487 | 214,625 |
| | 1994 | 22,749 | 0.84 | 11.75 | 14.00 | 267,389 | 318,435 |
| | 1995 | 27,085 | 0.99 | 14.68 | 14.79 | 397,711 | 400,531 |
| WOODCOCK | 1972 | 5,243 | 0.72 | 3.09 | 4.28 | 16,217 | 22,435 |
| | 1973 | 5,827 | 0.57 | 2.45 | 4.32 | 14,258 | 25,168 |
| | 1974 | 5,927 | 0.50 | 2.37 | 4.72 | 14,044 | 27,960 |
| | 1975 | 7,411 | 0.84 | 2.70 | 3.22 | 20,016 | 23,880 |
| | 1976 | 6,349 | 0.47 | 2.58 | 5.44 | 16,380 | 34,539 |
| | 1977 | 7,309 | 0.61 | 2.19 | 3.58 | 15,983 | 26,184 |
| | 1978 | 7,335 | 1.19 | 3.86 | 3.26 | 28,339 | 23,887 |
| | 1979 | 4,868 | 0.54 | 2.96 | 5.51 | 14,431 | 26,833 |
| | 1980 | 7,071 | 1.03 | 3.83 | 3.72 | 27,085 | 26,287 |
| | 1981 | 5,699 | 0.65 | 2.92 | 4.48 | 16,641 | 25,531 |
| | 1982 | 6,339 | 0.51 | 2.61 | 5.08 | 16,517 | 32,221 |
| | 1983 | 5,256 | 0.58 | 2.94 | 5.04 | 15,438 | 26,497 |
| | 1984 | 5,621 | 0.63 | 2.80 | 4.44 | 15,750 | 24,933 |
| | 1985 | 4,166 | 0.68 | 3.06 | 4.48 | 12,760 | 18,666 |
| | 1986 | 5,421 | 0.78 | 3.59 | 4.60 | 19,448 | 24,925 |
| | 1987 | 6,113 | 0.76 | 3.36 | 4.40 | 20,556 | 26,908 |
| | 1988 | 5,056 | 0.65 | 3.36 | 5.20 | 16,967 | 26,293 |
| | 1989 | 6,294 | 0.68 | 3.47 | 5.10 | 21,842 | 32,102 |
| | 1990 | 5,696 | 0.77 | 3.33 | 4.33 | 18,971 | 24,667 |
| | 1991 | 5,328 | 0.38 | 2.34 | 6.19 | 12,487 | 32,993 |

| | | | | | | | |
|------|------|--------|------|-------|------|---------|---------|
| | 1992 | 4,787 | 0.56 | 2.17 | 3.90 | 10,372 | 18,650 |
| | 1993 | 3,226 | 0.63 | 2.73 | 4.34 | 8,810 | 14,010 |
| | 1994 | 3,178 | 0.71 | 2.21 | 3.13 | 7,011 | 9,937 |
| | 1995 | 2,714 | 0.63 | 2.33 | 3.69 | 6,332 | 10,004 |
| | 1996 | 2,394 | 0.45 | 2.13 | 4.95 | 5,089 | 11,835 |
| | 1997 | 1,943 | 0.40 | 2.08 | 5.44 | 4,033 | 10,574 |
| | 1998 | 2,221 | 0.51 | 2.18 | 4.48 | 4,836 | 9,965 |
| | 1999 | 1,324 | 0.69 | 2.63 | 3.87 | 3,482 | 5,112 |
| | 2000 | 1,986 | 0.62 | 2.02 | 3.40 | 4,012 | 6,762 |
| | 2001 | 2,003 | 0.89 | 2.07 | 2.35 | 4,148 | 4,696 |
| | 2002 | 1,644 | 0.81 | 3.68 | 4.59 | 6,051 | 7,587 |
| | 2003 | 2,044 | 0.64 | 2.57 | 4.08 | 5,257 | 8,331 |
| | 2004 | 1,476 | 0.94 | 2.23 | 3.34 | 3,286 | 4,913 |
| | 2005 | 1,724 | 0.31 | 1.73 | 6.29 | 2,979 | 10,847 |
| | 2006 | 1,440 | 0.43 | 1.95 | 4.65 | 2,804 | 6,700 |
| | 2007 | 1,335 | 0.27 | 1.23 | 4.95 | 1,636 | 6,626 |
| | 2008 | 1,328 | 0.42 | 1.55 | 4.06 | 2,045 | 5,438 |
| | 2010 | 1,060 | 0.73 | 1.93 | 2.63 | 2,043 | 2,792 |
| | 2012 | 1,330 | 0.72 | 2.02 | 3.07 | 2,676 | 4,072 |
| | 2014 | 650 | 0.83 | 1.85 | 2.24 | 1,195 | 1,454 |
| CROW | 1967 | 23,396 | 1.69 | 10.16 | 6.00 | 237,703 | 140,376 |
| | 1968 | 22,375 | 1.76 | 9.21 | 5.24 | 205,962 | 117,144 |
| | 1969 | 28,676 | 2.00 | 10.40 | 5.20 | 298,353 | 149,153 |
| | 1970 | 23,811 | 1.67 | 8.26 | 4.94 | 196,583 | 117,712 |
| | 1971 | 24,419 | 1.60 | 10.18 | 6.36 | 248,466 | 155,272 |
| | 1972 | 19,632 | 1.22 | 7.43 | 6.08 | 145,777 | 119,377 |
| | 1973 | 19,091 | 1.82 | 9.36 | 5.14 | 178,699 | 98,120 |
| | 1974 | 16,429 | 1.13 | 5.36 | 4.75 | 88,008 | 77,957 |
| | 1975 | 17,102 | 1.21 | 5.89 | 4.87 | 100,712 | 83,230 |
| | 1976 | 17,509 | 2.07 | 10.60 | 5.12 | 185,595 | 89,646 |
| | 1977 | 13,172 | 1.65 | 7.59 | 4.59 | 99,917 | 60,480 |

| | | | | | | | |
|--|------|--------|------|-------|------|---------|--------|
| | 1978 | 12,790 | 2.20 | 9.22 | 4.18 | 117,869 | 53,480 |
| | 1979 | 13,620 | 1.49 | 5.48 | 3.96 | 74,646 | 50,247 |
| | 1980 | 13,685 | 1.44 | 7.31 | 5.07 | 100,072 | 69,338 |
| | 1981 | 14,703 | 1.60 | 7.90 | 4.94 | 116,143 | 72,661 |
| | 1982 | 13,726 | 1.51 | 7.75 | 5.08 | 106,433 | 70,490 |
| | 1983 | 12,701 | 1.27 | 9.12 | 7.16 | 115,843 | 90,988 |
| | 1984 | 11,409 | 1.90 | 9.37 | 4.94 | 106,909 | 56,321 |
| | 1985 | 11,653 | 1.16 | 6.61 | 5.72 | 77,037 | 66,649 |
| | 1986 | 9,501 | 1.58 | 10.06 | 6.37 | 95,564 | 60,524 |
| | 1987 | 12,525 | 1.61 | 9.31 | 5.78 | 116,623 | 72,395 |
| | 1988 | 10,225 | 1.42 | 9.65 | 6.79 | 98,713 | 69,386 |
| | 1989 | 10,736 | 1.95 | 9.61 | 4.93 | 103,129 | 52,940 |
| | 1990 | 9,980 | 1.92 | 9.75 | 5.09 | 97,304 | 50,794 |
| | 1991 | 9,957 | 1.20 | 8.73 | 7.30 | 86,922 | 72,659 |
| | 1992 | 11,120 | 1.41 | 7.82 | 5.54 | 86,969 | 61,636 |
| | 1993 | 9,388 | 1.24 | 6.82 | 5.50 | 63,983 | 51,658 |
| | 1994 | 10,391 | 1.65 | 8.78 | 5.32 | 91,198 | 55,233 |
| | 1995 | 11,654 | 2.01 | 10.92 | 5.44 | 127,285 | 63,376 |
| | 1996 | 11,415 | 2.32 | 11.19 | 4.82 | 127,715 | 55,012 |
| | 1997 | 9,987 | 2.21 | 10.55 | 4.78 | 105,451 | 47,700 |
| | 1998 | 12,358 | 1.83 | 10.56 | 5.86 | 130,450 | 72,592 |
| | 1999 | 11,103 | 2.23 | 13.60 | 6.14 | 151,058 | 68,205 |
| | 2000 | 13,364 | 2.44 | 12.64 | 5.15 | 168,905 | 68,847 |
| | 2001 | 14,038 | 1.74 | 7.77 | 4.48 | 109,020 | 62,892 |
| | 2002 | 12,906 | 1.88 | 10.17 | 5.45 | 131,244 | 70,336 |
| | 2003 | 12,322 | 1.78 | 9.09 | 5.14 | 112,024 | 63,299 |
| | 2004 | 10,589 | 1.93 | 14.83 | 7.79 | 156,890 | 82,566 |
| | 2005 | 9,867 | 1.82 | 12.21 | 6.71 | 120,483 | 66,247 |
| | 2006 | 8,936 | 2.17 | 13.21 | 6.19 | 118,060 | 55,295 |
| | 2007 | 7,807 | 1.42 | 8.55 | 6.11 | 66,770 | 47,686 |
| | 2008 | 6,582 | 3.00 | 18.64 | 6.13 | 120,749 | 40,309 |

| | | | | | | | |
|-----------|------|--------|------|-------|------|---------|---------|
| | 2010 | 8,141 | 1.75 | 9.89 | 5.70 | 80,522 | 46,365 |
| | 2012 | 6,941 | 2.96 | 11.82 | 3.99 | 81,991 | 27,666 |
| | 2014 | 6,495 | 2.34 | 10.85 | 4.76 | 70,595 | 30,937 |
| GROUNDHOG | 1967 | 18,656 | 1.08 | 10.60 | 9.77 | 197,753 | 182,269 |
| | 1968 | 21,941 | 1.25 | 9.65 | 7.74 | 211,724 | 169,826 |
| | 1969 | 26,405 | 1.21 | 10.14 | 8.39 | 267,646 | 221,414 |
| | 1970 | 30,888 | 0.88 | 6.73 | 7.69 | 208,003 | 237,445 |
| | 1971 | 34,620 | 0.80 | 7.54 | 9.46 | 260,944 | 327,653 |
| | 1972 | 33,716 | 0.81 | 7.63 | 9.42 | 257,168 | 317,589 |
| | 1973 | 32,726 | 0.84 | 6.01 | 7.14 | 196,728 | 233,793 |
| | 1974 | 24,482 | 0.68 | 4.33 | 6.37 | 105,917 | 155,912 |
| | 1975 | 24,133 | 0.71 | 5.40 | 7.58 | 130,293 | 182,929 |
| | 1976 | 22,896 | 0.70 | 4.44 | 6.30 | 101,658 | 144,245 |
| | 1977 | 20,562 | 0.64 | 4.82 | 7.57 | 99,194 | 155,577 |
| | 1978 | 18,997 | 0.53 | 3.98 | 7.54 | 75,549 | 143,260 |
| | 1979 | 17,329 | 0.54 | 3.58 | 6.57 | 61,954 | 113,883 |
| | 1980 | 16,935 | 0.64 | 3.33 | 5.20 | 56,451 | 87,984 |
| | 1981 | 15,159 | 0.53 | 4.91 | 9.33 | 74,427 | 141,389 |
| | 1982 | 11,807 | 0.52 | 4.30 | 8.21 | 50,774 | 96,895 |
| | 1983 | 13,741 | 0.54 | 3.68 | 6.76 | 50,585 | 92,849 |
| | 1984 | 13,023 | 0.50 | 3.19 | 6.41 | 41,573 | 83,424 |
| | 1985 | 9,228 | 0.49 | 3.19 | 6.54 | 29,423 | 60,374 |
| | 1986 | 9,892 | 0.51 | 3.67 | 7.20 | 36,326 | 71,254 |
| | 1987 | 8,150 | 0.58 | 3.16 | 5.46 | 25,770 | 44,528 |
| | 1988 | 8,090 | 0.55 | 3.26 | 5.90 | 26,406 | 47,755 |
| | 1989 | 8,197 | 0.53 | 2.83 | 5.32 | 23,164 | 43,579 |
| | 1990 | 7,109 | 0.68 | 3.62 | 5.30 | 25,703 | 37,660 |
| | 1991 | 6,243 | 0.52 | 3.37 | 6.49 | 21,044 | 40,528 |
| | 1992 | 6,533 | 0.52 | 2.69 | 5.23 | 17,603 | 34,159 |
| | 1993 | 6,692 | 0.40 | 2.94 | 7.39 | 19,643 | 49,444 |
| | 1994 | 6,507 | 0.51 | 3.10 | 6.02 | 20,176 | 39,193 |

| | | | | | | | |
|---------|------|--------|------|-------|-------|---------|---------|
| | 1995 | 6,864 | 0.53 | 2.82 | 5.30 | 19,369 | 36,397 |
| | 1996 | 4,410 | 0.53 | 3.16 | 6.00 | 13,935 | 26,460 |
| | 1997 | 4,199 | 0.54 | 2.55 | 4.79 | 10,709 | 20,113 |
| | 1998 | 4,476 | 0.55 | 2.51 | 4.67 | 11,234 | 20,910 |
| | 1999 | 3,359 | 0.37 | 2.53 | 7.96 | 8,477 | 26,739 |
| | 2000 | 4,033 | 0.51 | 2.56 | 5.10 | 10,340 | 20,559 |
| | 2001 | 4,001 | 0.70 | 3.13 | 4.47 | 12,525 | 17,875 |
| | 2002 | 3,743 | 0.26 | 2.42 | 10.91 | 9,078 | 40,895 |
| | 2003 | 4,462 | 0.48 | 2.70 | 5.75 | 12,048 | 25,654 |
| | 2004 | 4,543 | 0.34 | 2.76 | 8.89 | 12,534 | 40,481 |
| | 2005 | 4,145 | 0.57 | 3.31 | 5.90 | 13,702 | 24,438 |
| | 2006 | 3,229 | 0.51 | 4.76 | 9.47 | 15,412 | 30,630 |
| | 2007 | 3,693 | 0.58 | 3.24 | 5.62 | 11,960 | 20,797 |
| | 2008 | 3,627 | 0.53 | 3.79 | 7.45 | 13,529 | 26,742 |
| | 2010 | 3,524 | 0.29 | 2.93 | 13.80 | 10,347 | 48,745 |
| | 2012 | 4,577 | 0.96 | 4.48 | 4.67 | 20,546 | 21,381 |
| | 2014 | 3,522 | 0.47 | 2.33 | 5.19 | 8,195 | 18,246 |
| RACCOON | 1967 | 28,248 | 1.19 | 10.83 | 9.11 | 305,926 | 257,339 |
| | 1968 | 26,590 | 1.44 | 11.83 | 8.21 | 314,493 | 218,174 |
| | 1969 | 37,147 | 1.34 | 11.97 | 8.91 | 444,486 | 330,869 |
| | 1970 | 33,935 | 1.11 | 11.70 | 10.50 | 395,045 | 356,447 |
| | 1971 | 30,704 | 1.22 | 12.59 | 10.34 | 386,633 | 317,549 |
| | 1972 | 32,131 | 1.27 | 13.23 | 10.41 | 425,080 | 334,540 |
| | 1973 | 41,651 | 1.22 | 12.41 | 10.21 | 516,918 | 425,063 |
| | 1974 | 38,849 | 1.05 | 12.93 | 12.36 | 502,138 | 480,169 |
| | 1975 | 42,122 | 0.96 | 11.86 | 12.36 | 499,698 | 520,537 |
| | 1976 | 43,676 | 0.94 | 11.10 | 11.84 | 484,803 | 517,124 |
| | 1977 | 40,240 | 0.87 | 8.95 | 10.30 | 360,149 | 414,444 |
| | 1978 | 39,812 | 0.91 | 9.26 | 10.14 | 368,653 | 403,637 |
| | 1979 | 48,567 | 0.83 | 10.31 | 12.40 | 500,792 | 602,040 |
| | 1980 | 42,709 | 0.69 | 8.02 | 11.56 | 342,469 | 493,689 |

| | | | | | | | |
|--|------|--------|------|-------|-------|---------|---------|
| | 1981 | 42,628 | 0.77 | 9.13 | 11.93 | 389,233 | 508,454 |
| | 1982 | 40,828 | 0.75 | 10.06 | 13.42 | 410,610 | 547,868 |
| | 1983 | 30,548 | 0.90 | 8.86 | 9.85 | 270,720 | 300,885 |
| | 1984 | 35,729 | 0.97 | 12.00 | 12.43 | 428,694 | 443,943 |
| | 1985 | 28,526 | 0.84 | 9.76 | 11.57 | 278,513 | 330,187 |
| | 1986 | 28,390 | 0.96 | 11.91 | 12.43 | 337,996 | 352,806 |
| | 1987 | 27,448 | 0.95 | 12.53 | 13.16 | 343,875 | 361,195 |
| | 1988 | 21,967 | 0.80 | 8.58 | 10.68 | 188,493 | 234,563 |
| | 1989 | 21,208 | 0.90 | 8.43 | 9.41 | 178,704 | 199,488 |
| | 1990 | 18,265 | 0.90 | 8.97 | 10.01 | 163,821 | 182,839 |
| | 1991 | 18,407 | 1.01 | 11.33 | 11.18 | 208,504 | 205,760 |
| | 1992 | 15,708 | 0.89 | 9.66 | 10.84 | 151,797 | 170,248 |
| | 1993 | 15,262 | 1.16 | 12.26 | 10.56 | 187,135 | 161,089 |
| | 1994 | 16,646 | 1.12 | 15.41 | 13.74 | 256,443 | 228,700 |
| | 1995 | 18,146 | 1.28 | 13.71 | 10.74 | 248,769 | 194,865 |
| | 1996 | 16,691 | 1.11 | 12.71 | 11.47 | 212,227 | 191,458 |
| | 1997 | 17,062 | 1.21 | 16.70 | 13.75 | 284,940 | 234,596 |
| | 1998 | 15,510 | 1.32 | 16.20 | 12.26 | 251,310 | 190,154 |
| | 1999 | 13,663 | 1.30 | 14.11 | 10.85 | 192,722 | 148,207 |
| | 2000 | 11,664 | 0.85 | 9.54 | 11.26 | 111,229 | 131,340 |
| | 2001 | 12,699 | 1.12 | 13.45 | 12.00 | 170,757 | 152,451 |
| | 2002 | 14,109 | 1.02 | 14.28 | 14.01 | 201,361 | 197,569 |
| | 2003 | 12,417 | 0.93 | 10.42 | 11.15 | 129,327 | 138,441 |
| | 2004 | 11,937 | 1.08 | 13.09 | 12.14 | 156,235 | 144,919 |
| | 2005 | 10,168 | 1.09 | 20.08 | 18.34 | 204,168 | 186,487 |
| | 2006 | 9,657 | 0.94 | 14.60 | 15.57 | 140,989 | 150,365 |
| | 2007 | 12,679 | 0.94 | 17.16 | 18.32 | 217,635 | 232,307 |
| | 2008 | 10,957 | 1.34 | 21.40 | 15.93 | 234,623 | 174,561 |
| | 2010 | 10,612 | 0.81 | 15.89 | 19.85 | 168,584 | 210,756 |
| | 2012 | 13,190 | 0.82 | 14.50 | 17.86 | 191,217 | 235,577 |
| | 2014 | 11,224 | 0.97 | 15.39 | 15.91 | 172,585 | 178,475 |

| | | | | | | | |
|---------------|------|--------|------|------|-------|--------|--------|
| FOXES (Gun) | 1967 | 12,713 | 0.22 | 1.13 | 5.16 | 14,365 | 65,617 |
| | 1968 | 8,739 | 0.22 | 1.92 | 8.72 | 16,796 | 76,172 |
| | 1969 | 12,351 | 0.31 | 2.03 | 6.55 | 25,081 | 80,920 |
| | 1970 | 10,589 | 0.22 | 1.86 | 8.27 | 19,680 | 87,605 |
| | 1971 | 8,810 | 0.31 | 1.69 | 5.53 | 14,889 | 48,738 |
| | 1972 | 8,718 | 0.25 | 1.22 | 4.81 | 10,669 | 41,944 |
| | 1973 | 10,349 | 0.25 | 1.61 | 6.42 | 16,670 | 66,432 |
| RED FOX (Gun) | 1974 | 6,442 | 0.23 | 1.18 | 5.14 | 7,602 | 33,112 |
| | 1975 | 8,044 | 0.09 | 1.06 | 11.46 | 8,488 | 92,225 |
| | 1976 | 9,300 | 0.11 | 1.01 | 8.75 | 9,393 | 81,375 |
| | 1980 | 3,934 | 0.13 | 1.28 | 9.46 | 5,018 | 37,235 |
| | 1981 | 5,471 | 0.12 | 1.00 | 8.65 | 5,471 | 47,301 |
| | 1982 | 3,490 | 0.08 | 0.72 | 8.65 | 2,501 | 30,185 |
| | 1983 | 4,106 | 0.14 | 1.55 | 11.35 | 6,351 | 46,589 |
| | 1984 | 3,562 | 0.15 | 1.02 | 6.56 | 3,617 | 23,374 |
| | 1985 | 3,216 | 0.10 | 1.07 | 10.59 | 3,427 | 34,063 |
| | 1986 | 4,136 | 0.16 | 1.73 | 10.96 | 7,153 | 45,323 |
| | 1987 | 4,375 | 0.11 | 1.25 | 11.73 | 5,454 | 51,300 |
| | 1988 | 2,697 | 0.08 | 0.98 | 12.29 | 2,641 | 33,148 |
| | 1989 | 3,067 | 0.11 | 1.14 | 10.62 | 3,491 | 32,578 |
| | 1990 | 2,213 | 0.11 | 1.23 | 11.38 | 2,730 | 25,185 |
| | 1991 | 2,153 | 0.16 | 1.98 | 12.32 | 4,252 | 26,534 |
| | 1992 | 2,394 | 0.13 | 1.15 | 9.10 | 2,743 | 21,792 |
| | 1993 | 2,503 | 0.14 | 1.27 | 9.27 | 3,177 | 23,205 |
| | 1994 | 2,320 | 0.18 | 1.83 | 10.22 | 4,237 | 23,707 |
| | 1995 | 2,820 | 0.21 | 1.75 | 8.32 | 4,949 | 23,467 |
| | 1996 | 1,958 | 0.14 | 1.29 | 9.25 | 2,532 | 18,098 |
| | 1997 | 2,304 | 0.16 | 1.67 | 10.68 | 3,854 | 24,624 |
| | 1998 | 1,966 | 0.12 | 1.04 | 9.01 | 2,050 | 17,712 |
| | 1999 | 1,695 | 0.10 | 1.07 | 10.63 | 1,809 | 17,993 |
| | 2000 | 1,777 | 0.03 | 0.41 | 12.44 | 731 | 22,121 |

| | | | | | | | |
|----------------|------|-------|------|------|-------|--------|--------|
| | 2001 | 1,972 | 0.08 | 0.74 | 9.90 | 1,458 | 19,551 |
| | 2002 | 2,612 | 0.11 | 0.99 | 9.23 | 2,593 | 24,114 |
| | 2003 | 2,543 | 0.07 | 0.81 | 11.32 | 2,069 | 28,817 |
| | 2004 | 1,927 | 0.09 | 0.76 | 8.88 | 1,469 | 17,093 |
| | 2005 | 2,435 | 0.10 | 1.71 | 17.42 | 4,165 | 42,513 |
| | 2006 | 2,085 | 0.14 | 0.86 | 6.04 | 1,797 | 12,611 |
| | 2007 | 2,662 | 0.13 | 1.04 | 7.95 | 2,774 | 21,154 |
| | 2008 | 1,886 | 0.09 | 1.00 | 13.64 | 1,951 | 25,550 |
| | 2010 | 2,372 | 0.11 | 1.26 | 11.37 | 2,989 | 26,958 |
| | 2012 | 2,908 | 0.17 | 0.93 | 5.77 | 2,705 | 16,778 |
| | 2014 | 1,209 | 0.09 | 0.71 | 8.38 | 869 | 10,122 |
| GRAY FOX (Gun) | 1974 | 5,476 | 0.29 | 1.98 | 6.93 | 10,823 | 37,945 |
| | 1975 | 6,017 | 0.16 | 1.66 | 10.61 | 10,008 | 63,848 |
| | 1976 | 7,889 | 0.16 | 1.58 | 9.75 | 12,465 | 76,918 |
| | 1978 | 3,636 | 0.23 | 2.34 | 10.07 | 8,527 | 36,614 |
| | 1979 | 6,375 | 0.33 | 3.19 | 9.53 | 20,342 | 60,737 |
| | 1980 | 5,132 | 0.17 | 1.81 | 10.60 | 9,294 | 54,398 |
| | 1981 | 5,756 | 0.17 | 1.49 | 8.82 | 8,548 | 50,777 |
| | 1982 | 3,606 | 0.16 | 1.55 | 9.55 | 5,583 | 34,431 |
| | 1983 | 3,613 | 0.14 | 1.76 | 12.89 | 6,351 | 46,589 |
| | 1984 | 3,339 | 0.23 | 1.77 | 7.53 | 5,899 | 25,155 |
| | 1985 | 2,953 | 0.22 | 2.07 | 9.61 | 6,117 | 28,368 |
| | 1986 | 3,297 | 0.32 | 3.32 | 10.25 | 10,954 | 33,811 |
| | 1987 | 3,536 | 0.13 | 1.54 | 12.19 | 5,454 | 43,089 |
| | 1988 | 2,023 | 0.13 | 2.14 | 16.36 | 4,326 | 33,092 |
| | 1989 | 2,327 | 0.16 | 1.61 | 9.91 | 3,755 | 23,059 |
| | 1990 | 1,553 | 0.14 | 1.88 | 13.58 | 2,919 | 21,090 |
| | 1991 | 1,453 | 0.20 | 2.15 | 10.56 | 3,122 | 15,339 |
| | 1992 | 1,795 | 0.14 | 1.39 | 9.67 | 2,493 | 17,354 |
| | 1993 | 1,444 | 0.16 | 1.50 | 9.37 | 2,166 | 13,528 |
| | 1994 | 2,068 | 0.25 | 2.56 | 10.41 | 5,296 | 21,538 |

| | | | | | | | |
|--------------|------|--------|------|------|-------|--------|---------|
| | 1995 | 2,022 | 0.09 | 0.97 | 10.63 | 1,969 | 21,498 |
| | 1996 | 1,601 | 0.11 | 1.03 | 9.64 | 1,649 | 15,433 |
| | 1997 | 2,027 | 0.19 | 2.11 | 11.34 | 4,277 | 23,010 |
| | 1998 | 1,457 | 0.16 | 2.54 | 16.39 | 3,703 | 23,919 |
| | 1999 | 796 | 0.13 | 1.31 | 10.87 | 1,043 | 8,612 |
| | 2000 | 1,575 | 0.06 | 0.70 | 13.20 | 1,095 | 20,779 |
| | 2001 | 1,177 | 0.08 | 1.00 | 12.22 | 1,179 | 14,416 |
| | 2002 | 1,891 | 0.09 | 0.98 | 10.85 | 1,862 | 20,508 |
| | 2003 | 1,769 | 0.07 | 0.73 | 10.53 | 1,294 | 18,634 |
| | 2004 | 1,399 | 0.10 | 0.71 | 6.95 | 990 | 9,725 |
| | 2005 | 1,334 | 0.09 | 1.40 | 16.37 | 1,871 | 21,866 |
| | 2006 | 1,530 | 0.14 | 0.89 | 6.01 | 1,363 | 9,232 |
| | 2007 | 1,866 | 0.10 | 1.14 | 11.15 | 2,134 | 20,784 |
| | 2008 | 1,350 | 0.13 | 1.67 | 16.16 | 2,259 | 20,902 |
| | 2010 | 1,373 | 0.27 | 3.03 | 11.44 | 4,189 | 15,730 |
| | 2012 | 1,472 | 0.20 | 1.45 | 7.12 | 2,137 | 10,501 |
| | 2014 | 665 | 0.11 | 1.19 | 11.88 | 792 | 7,843 |
| COYOTE (Gun) | 1967 | 11,886 | 0.11 | 0.98 | 8.66 | 11,636 | 102,929 |
| | 1970 | 18,801 | 0.12 | 1.33 | 11.09 | 24,999 | 208,412 |
| | 1975 | 33,254 | 0.20 | 2.40 | 12.01 | 79,937 | 399,302 |
| | 1976 | 39,315 | 0.20 | 2.08 | 10.20 | 81,775 | 401,013 |
| | 1977 | 22,650 | 0.18 | 1.96 | 11.01 | 44,336 | 250,754 |
| | 1978 | 33,919 | 0.20 | 1.77 | 8.97 | 60,125 | 304,264 |
| | 1979 | 41,670 | 0.26 | 2.31 | 9.01 | 96,264 | 375,377 |
| | 1980 | 34,840 | 0.19 | 1.78 | 9.43 | 62,153 | 328,556 |
| | 1981 | 37,784 | 0.16 | 2.22 | 13.85 | 83,774 | 523,328 |
| | 1982 | 27,801 | 0.19 | 2.29 | 12.05 | 63,627 | 334,886 |
| | 1983 | 29,399 | 0.19 | 2.14 | 11.24 | 62,958 | 330,557 |
| | 1984 | 30,108 | 0.20 | 2.37 | 11.98 | 71,291 | 360,687 |
| | 1985 | 31,954 | 0.24 | 2.50 | 10.63 | 80,042 | 339,783 |
| | 1986 | 33,028 | 0.23 | 2.67 | 11.84 | 88,132 | 391,032 |

| | | | | | | | |
|----------------------------|------|--------|------|------|-------|--------|---------|
| | 1987 | 31,643 | 0.20 | 2.79 | 14.09 | 88,276 | 445,995 |
| | 1988 | 31,518 | 0.21 | 2.84 | 13.37 | 89,611 | 421,538 |
| | 1989 | 30,357 | 0.18 | 2.26 | 12.54 | 68,541 | 380,731 |
| | 1990 | 29,893 | 0.19 | 2.85 | 14.76 | 85,159 | 441,280 |
| | 1991 | 27,234 | 0.20 | 2.85 | 14.56 | 77,718 | 397,418 |
| | 1992 | 27,228 | 0.18 | 2.24 | 12.51 | 61,088 | 340,696 |
| | 1993 | 26,479 | 0.20 | 2.71 | 13.27 | 71,782 | 351,402 |
| | 1994 | 26,129 | 0.24 | 3.26 | 13.31 | 85,145 | 347,842 |
| | 1995 | 26,340 | 0.27 | 2.52 | 9.26 | 66,303 | 243,820 |
| | 1996 | 23,058 | 0.28 | 2.66 | 9.69 | 61,431 | 223,376 |
| | 1997 | 20,101 | 0.33 | 3.08 | 9.35 | 61,952 | 187,861 |
| | 1998 | 22,615 | 0.31 | 3.23 | 10.53 | 73,128 | 238,047 |
| | 1999 | 22,688 | 0.29 | 2.56 | 8.94 | 58,039 | 202,832 |
| | 2000 | 21,386 | 0.26 | 2.24 | 8.78 | 47,938 | 187,892 |
| | 2001 | 22,117 | 0.26 | 2.12 | 8.18 | 46,899 | 180,956 |
| | 2002 | 23,314 | 0.21 | 2.39 | 11.45 | 55,685 | 267,007 |
| | 2003 | 23,961 | 0.18 | 2.26 | 13.08 | 54,153 | 313,328 |
| | 2004 | 21,909 | 0.27 | 2.34 | 8.86 | 51,304 | 194,019 |
| | 2005 | 20,972 | 0.30 | 3.64 | 12.15 | 76,289 | 254,770 |
| | 2006 | 20,199 | 0.32 | 2.91 | 9.15 | 58,860 | 184,918 |
| | 2007 | 22,310 | 0.25 | 2.47 | 10.12 | 55,097 | 22,835 |
| | 2008 | 17,990 | 0.31 | 3.09 | 10.00 | 55,595 | 180,012 |
| | 2010 | 23,869 | 0.25 | 3.01 | 12.17 | 71,950 | 290,607 |
| | 2012 | 25,862 | 0.28 | 3.14 | 11.42 | 81,305 | 295,318 |
| | 2014 | 22,119 | 0.31 | 2.97 | 9.64 | 65,754 | 213,266 |
| ALL CANID CHASERS (Dog) | 1974 | 19,392 | . | . | 21.93 | . | 425,271 |
| OPOSSUM | 1990 | 6,638 | 0.49 | 5.69 | 11.55 | 37,754 | 76,685 |
| | 1991 | 6,189 | 0.71 | 7.97 | 11.17 | 49,354 | 69,107 |
| | 1992 | 4,638 | 0.80 | 7.98 | 10.01 | 37,002 | 46,427 |
| | 1993 | 4,718 | 0.64 | 6.00 | 9.35 | 28,309 | 44,100 |

| | | | | | | | |
|--------|------|-------|------|-------|-------|--------|---------|
| | 1994 | 5,397 | 0.65 | 9.07 | 13.98 | 48,978 | 75,460 |
| | 1995 | 5,374 | 0.76 | 7.90 | 10.37 | 42,464 | 55,714 |
| | 1996 | 5,807 | 0.75 | 6.22 | 8.32 | 36,073 | 48,287 |
| | 1997 | 4,795 | 0.78 | 8.97 | 11.53 | 43,024 | 55,280 |
| | 1998 | 4,716 | 0.88 | 9.17 | 10.45 | 43,277 | 49,319 |
| | 1999 | 4,243 | 0.66 | 5.23 | 7.95 | 22,161 | 33,693 |
| | 2000 | 3,521 | 0.51 | 4.33 | 8.56 | 15,251 | 30,165 |
| | 2001 | 3,470 | 0.56 | 4.23 | 7.60 | 14,663 | 26,356 |
| | 2002 | 4,379 | 0.56 | 5.79 | 10.57 | 25,318 | 46,223 |
| | 2003 | 4,031 | 0.65 | 6.12 | 9.53 | 24,644 | 38,441 |
| | 2004 | 4,529 | 0.84 | 8.51 | 10.20 | 38,538 | 46,224 |
| | 2005 | 5,086 | 0.62 | 7.40 | 12.00 | 37,650 | 61,072 |
| | 2006 | 4,002 | 0.61 | 6.88 | 11.32 | 27,518 | 45,350 |
| | 2007 | 4,966 | 0.72 | 10.17 | 14.23 | 50,585 | 70,703 |
| | 2008 | 3,978 | 0.99 | 11.09 | 11.21 | 44,021 | 44,440 |
| | 2010 | 5,622 | 0.35 | 6.35 | 19.05 | 35,738 | 107,297 |
| | 2012 | 6,420 | 0.49 | 6.33 | 13.32 | 40,607 | 85,463 |
| | 2014 | 4,979 | 0.51 | 5.94 | 11.92 | 29,588 | 59,394 |
| BOBCAT | 1970 | 1,653 | 0.03 | 0.34 | 10.63 | 568 | 17,563 |
| | 1975 | 2,154 | 0.13 | 1.29 | 9.76 | 2,787 | 21,029 |
| | 1976 | 2,694 | 0.04 | 0.57 | 12.64 | 1,536 | 34,052 |
| | 1980 | 1,825 | 0.05 | 0.47 | 8.78 | 855 | 16,023 |
| | 1981 | 1,653 | 0.08 | 0.76 | 9.93 | 1,254 | 16,413 |
| | 1982 | 989 | 0.08 | 0.71 | 8.65 | 698 | 8,550 |
| | 1983 | 1,478 | 0.09 | 0.63 | 7.07 | 931 | 10,457 |
| | 1984 | 1,224 | 0.08 | 0.64 | 7.91 | 779 | 9,684 |
| | 1985 | 1,213 | 0.08 | 0.61 | 8.04 | 738 | 9,755 |
| | 1986 | 1,453 | 0.09 | 1.46 | 15.69 | 2,124 | 22,801 |
| | 1987 | 1,798 | 0.05 | 0.47 | 8.80 | 839 | 15,821 |
| | 1988 | 1,910 | 0.07 | 0.97 | 14.59 | 1,854 | 27,867 |
| | 1989 | 1,375 | 0.12 | 0.65 | 5.35 | 899 | 7,351 |

| | | | | | | | |
|---------------|------|-------|------|------|-------|-------|--------|
| | 1990 | 1,506 | 0.10 | 0.75 | 7.47 | 1,130 | 11,251 |
| | 1991 | 861 | 0.06 | 0.75 | 12.63 | 646 | 10,872 |
| | 1992 | 1,097 | 0.09 | 0.64 | 7.18 | 698 | 7,879 |
| | 1993 | 1,348 | 0.22 | 0.93 | 4.14 | 1,252 | 5,585 |
| | 1994 | 1,765 | 0.10 | 0.89 | 9.29 | 1,564 | 16,393 |
| | 1995 | 1,596 | 0.13 | 0.90 | 7.03 | 1,437 | 11,228 |
| | 1996 | 1,815 | 0.11 | 0.78 | 7.44 | 1,414 | 13,474 |
| | 1997 | 2,086 | 0.08 | 0.64 | 8.82 | 1,342 | 18,406 |
| | 1998 | 1,695 | 0.14 | 1.34 | 9.04 | 2,282 | 15,370 |
| | 1999 | 1,770 | 0.10 | 0.54 | 5.77 | 962 | 10,221 |
| | 2000 | 2,627 | 0.06 | 0.47 | 7.76 | 1,235 | 20,386 |
| | 2001 | 2,548 | 0.09 | 0.77 | 8.80 | 1,969 | 22,409 |
| | 2002 | 4,222 | 0.06 | 0.52 | 8.54 | 2,193 | 36,072 |
| | 2003 | 4,108 | 0.06 | 0.51 | 8.62 | 2,076 | 35,440 |
| | 2004 | 4,485 | 0.08 | 0.51 | 6.11 | 2,274 | 27,345 |
| | 2005 | 3,935 | 0.08 | 0.79 | 9.92 | 3,120 | 39,032 |
| | 2006 | 4,285 | 0.07 | 0.46 | 7.03 | 1,979 | 30,132 |
| | 2007 | 4,785 | 0.06 | 0.74 | 12.77 | 3,532 | 61,103 |
| | 2008 | 2,941 | 0.10 | 0.93 | 10.69 | 2,730 | 31,252 |
| | 2010 | 3,890 | 0.03 | 0.51 | 22.67 | 1,992 | 88,264 |
| | 2012 | 5,154 | 0.06 | 0.57 | 10.32 | 2,922 | 53,211 |
| | 2014 | 3,718 | 0.08 | 0.68 | 8.92 | 2,531 | 33,205 |
| RUFFED GROUSE | 1983 | 3,490 | 0.09 | 0.23 | 2.52 | 814 | 8,782 |
| | 1984 | 890 | 0.00 | 0.00 | 1.88 | 0 | 1,670 |
| | 1985 | 844 | 0.23 | 0.63 | 2.75 | 527 | 2,320 |
| | 1986 | 838 | 0.30 | 0.40 | 3.13 | 335 | 2,627 |
| | 1987 | 1,199 | 0.26 | 1.00 | 3.85 | 1,199 | 4,615 |
| | 1988 | 1,292 | 0.13 | 0.35 | 2.78 | 449 | 3,596 |
| | 1989 | 899 | 0.18 | 0.41 | 2.35 | 370 | 2,115 |
| | 1990 | 941 | 0.07 | 0.25 | 3.50 | 235 | 3,295 |
| | 1991 | 754 | 0.05 | 0.14 | 2.79 | 108 | 2,099 |

| | | | | | | | |
|----------------|------|-----|------|------|------|-------|-------|
| | 1992 | 947 | 0.07 | 0.21 | 3.05 | 199 | 2,892 |
| | 1993 | 867 | 0.19 | 0.78 | 4.17 | 674 | 3,611 |
| | 1994 | 252 | 0.13 | 0.20 | 1.60 | 50 | 404 |
| | 1995 | 585 | 0.29 | 1.73 | 5.91 | 1,011 | 3,459 |
| | 1996 | 534 | 0.08 | 0.18 | 2.13 | 93 | 1,137 |
| | 1997 | 315 | 0.07 | 0.14 | 2.14 | 44 | 674 |
| | 1998 | 445 | 0.30 | 1.42 | 3.93 | 646 | 1,733 |
| | 1999 | 230 | 0.14 | 0.45 | 5.87 | 108 | 1,307 |
| | 2000 | 244 | 0.00 | 0.00 | 1.41 | 0 | 343 |
| | 2001 | 238 | 0.05 | 0.10 | 2.08 | 23 | 493 |
| | 2002 | 65 | 0.23 | 0.86 | 3.33 | 60 | 234 |
| | 2003 | 286 | 0.04 | 0.12 | 3.13 | 34 | 885 |
| | 2004 | 35 | 0.00 | 0.00 | 3.65 | 0 | 141 |
| | 2005 | 155 | 0.06 | 0.23 | 3.96 | 29 | 605 |
| | 2006 | 415 | 0.60 | 1.82 | 3.07 | 741 | 1,239 |
| | 2007 | 331 | 0.25 | 1.29 | 4.64 | 429 | 1,541 |
| | 2008 | 139 | 0.01 | 0.21 | 9.97 | 26 | 1,309 |
| Season Closed | 2010 | - | - | - | - | - | - |
| Season Closed | 2012 | - | - | - | - | - | - |
| Season Closed | 2014 | | | | | | |
| SNIPe | 1989 | 740 | 0.41 | 2.43 | 5.93 | 1,798 | 4,390 |
| RAIL | 1989 | 159 | 0.56 | 1.67 | 3.00 | 264 | 476 |
| GRAY PARTRIDGE | 1994 | 151 | 2.30 | 7.67 | 3.33 | 1,160 | 504 |
| | 1995 | 160 | 0.00 | 0.00 | 5.00 | 0 | 798 |
| | 1996 | 181 | 0.47 | 1.25 | 2.44 | 233 | 451 |
| | 1997 | 46 | 0.00 | 0.00 | 6.00 | 0 | 278 |
| | 1998 | 0 | . | . | . | 0 | 0 |